


## IN CHAPTER QUESTIONS

### PART - 1

**Q1.** How does the sound produced by a vibrating object in a medium reach your ear ?


**Ans.** Air is the most common material through which sound propagates. When a vibrating object like prongs of tuning fork move forward, they push the molecules of the air in front of them.

 This in turn compresses the air, thus creating a region of high pressure and high density called compression. This compression in the air travels forward. When the prongs of the tuning fork move backward, they create a region of low pressure and low density in the air, commonly called rarefaction. As the tuning fork continues to vibrate, it produces a series of successive compressions and rarefactions in the air, thus, propagating sound through the air which finally reaches our ears.

### PART - 2

**Q1.** Explain how sound is produced by your school bell.

**Ans.** When we hit a school bell by a hard gong, it moves back and forth about its equilibrium position. Thus, the edge of the bell strikes the particles in the air. When the edge moves forward, air particles are driven forward. This forward motion of the bell produces a region where the air pressure is slightly higher than average. This region is called compression. When the edge moves backward, air particles near it have more space and thus, they spread farther apart. This backward motion produces a region where the air pressure is slightly below average pressure. This region is called rarefaction. Collisions among the air particles cause the pressure variations to move away from the bell in all directions. If you were to focus at one spot, you would see the value of the air pressure rise and fall. In this way, the pressure variations i.e., the sound is produced by the bell which is transmitted through air (see fig.).



**Q2.** Why are sound waves called mechanical waves ?

**Ans.** The waves which require a medium for their propagation are called mechanical waves. Sound waves also propagate through a medium because of the interaction of the particles present in that medium. Sound waves force the medium particles to vibrate. Hence, these waves are known as mechanical waves.

**Q3.** Suppose you and your friend are on the moon. Will you be able to hear any sound produced by your friend?

**Ans.** No, I will not be able to hear sound, because Moon has no atmosphere. Therefore, no sound waves can travel to my ears and therefore, no sound is heard.

---

### PART - 3

---

**Q1.** Which wave property determines

(a) loudness (b) pitch ?

**Ans.** (a) The amplitude of the wave determines the loudness; more the amplitude of a wave, more is the loudness produced.

(b) The pitch is determined by the frequency of the wave. Higher the frequency of a wave, more is its pitch and shriller is the sound.

**Q2.** Guess which sound has a higher pitch: guitar or car horn ?

**Ans.** The frequency of vibration of a sound produced by a guitar is greater than that produced by a car horn. Since the pitch of a sound is proportional to its frequency, the guitar has a higher pitch than a car horn.

---

### PART - 4

---

**Q1.** What are wavelength, frequency, time period and amplitude of a sound wave ?

**Ans. Wavelength :** It is the distance between two consecutive compressions or two consecutive rarefactions.

**Frequency :** The number of compressions or rarefactions taken together passing through a point in one second is called frequency.

**Time Period :** It is the time taken by two consecutive compressions or rarefactions to cross a point.

**Amplitude :** It is the magnitude of maximum displacement of a vibrating particle about its mean position.

**Q2.** How are the wavelength and frequency of a sound wave related to its speed ?

**Ans.** Speed of sound = frequency  $\times$  wavelength

**Q3.** Calculate the wavelength of a sound wave whose frequency is 220 Hz and speed is 440 ms<sup>-1</sup> in a given medium.

**Ans.** Given, frequency,  $\nu = 220$  Hz ;

speed of sound,  $v = 440$  ms<sup>-1</sup>

$$\text{Speed, } v = \nu \lambda \quad \text{or} \quad \lambda = \frac{v}{\nu} = \frac{440}{220} = 2 \text{ m}$$

**Q4.** A person is listening to a tone of 500 Hz sitting at a distance of 450 m from the source of the sound. What is the time interval between successive compressions from the source ?

**Ans.** The time interval between two successive compressions is equal to the time period of the wave. It has nothing to do with the distance (450 m) of the person from the source.

$$\text{Time interval} = \frac{1}{\text{Frequency}} = \frac{1}{500} = 2 \times 10^{-3} \text{ s}$$

---

### PART - 5

---

**Q1.** Distinguish between loudness and intensity of sound.

**Ans.** Intensity is an objective property of the sound wave. In fact, it is related to the square of the wave amplitude, and does not depend on the particular characteristics of a person's ears. The amount of sound energy passing each second through unit area is called the intensity of sound. Loudness, on the other hand, is a subjective property of the sound that depends on the human ear, the sensitivity of the ear to the frequency of the sound, and the distance from the source of the sound. In other words, loudness can be considered as the intensity of an audible sound.

---

### PART - 6

---

**Q1.** In which of the three media, air, water or iron, does sound travel the fastest at a particular temperature?

**Ans.** Sound travels the fastest in solids. Its speed decreases in liquids and it is the slowest in gases. Therefore, for a given temperature, sound travels fastest in iron.

---

**PART - 7**


---

**Q1.** An echo is returned in 3 s. What is the distance of the reflecting surface from the source, given that the speed of sound is  $342 \text{ ms}^{-1}$  ?

**Ans.** Given, speed of sound,  $v = 342 \text{ m s}^{-1}$  ;  
time taken for hearing the echo,  $t = 3 \text{ s}$  ;  
distance of the reflecting surface,  $s = ?$

$$\text{Now, } s = \frac{v}{2} \times \frac{342}{2} = 513 \text{ m}$$

---

**PART - 8**


---

**Q1.** Why is the ceiling of concert halls curved ?

**Ans.** The ceiling of concert halls is curved so that sound after reflection from it reaches all the corners of the hall and is audible to every person in the hall.

---

**PART - 9**


---

**Q1.** What is the audible range of the average human ear ?

**Ans.** An average human ear can hear sound waves of frequencies between 20 Hz to 20,000 Hz.

**Q2.** What is the range of frequencies associated with

(a) Infrasound ?      (b) Ultrasound ?

**Ans.** (a) **Infrasound** : Sound waves of frequencies between 1 to 20 Hz.

(b) **Ultrasound** : Sound waves of frequencies above 20,000 Hz.

---

**PART - 10**


---

**Q1.** A submarine emits a sonar pulse, which returns from an underwater cliff in 1.02 s. If the speed of sound in salt water is  $1531 \text{ ms}^{-1}$ , how far away is the cliff ?

**Ans.** Given, time taken by the sonar pulse,  $t = 1.02 \text{ s}$  ; speed of sound in salt water,  $v = 1531 \text{ m s}^{-1}$  ;

distance of cliff,  $s = ?$

$$\text{Now, } s = \frac{v}{2} \times \frac{1531}{2} = \frac{1531 \times 1.02}{2} = 780.81 \text{ m}$$


## EXERCISES

**Q1.** What is the sound and how it is produced?

**Ans.** Sound is a form of energy which produces sensation of hearing. When an object is set into vibrations, sound is produced.


**Q2.** Describe with the help of a diagram, how compressions and rarefactions are produced in air near a source of sound.

**Ans.** When a vibrating body like a tuning fork moves forward, it creates a region of high pressure in its vicinity. This region of high pressure is known as compression. When it moves backward, it creates a region of low pressure in its vicinity. This region is known as a rarefaction. As the body continues to move forward and backward, it produces a series of compressions and rarefactions (see fig.).



**Q3.** Give an experiment to show that sound needs a material medium for its propagation.

**Ans.** Take an electric circuit which consists of a power supply source, a switch and an electric bell arranged inside a bell jar, which stands on the platform of a vacuum pump. The switch of the bell is pressed to close the electric circuit. When there is air within the bell jar, sound is heard. Air is now pumped out of the bell jar. When the air is completely removed from the bell jar, no sound is heard because the medium of air which has to carry sound from the bell to the bell jar, is removed. It shows that sound needs material medium for its propagation.



**Q4.** Why is sound wave called a longitudinal wave ?

**Ans.** Sound wave is called longitudinal wave because the particles of the medium vibrate in the direction of the propagation of wave.

**Q5.** Which characteristic of the sound helps you to identify your friend by his voice while sitting with others in a dark room ?

**Ans.** The characteristic of sound that helps you to identify your friend's voice is 'quality' or 'timbre'.

**Q6.** Flash and thunder are produced simultaneously. But thunder is heard a few seconds after the flash is seen. Why ?

**Ans.** The speed of light is  $3 \times 10^8 \text{ ms}^{-1}$  and the speed of sound is  $344 \text{ ms}^{-1}$  in air. That is, the speed of light is very large as compared to the speed of sound. Thus, flash of lightning is seen at first, but sound takes a little bit more time to reach our ears.

**Q7.** A person has a hearing range from 20 Hz to 20 kHz. What are the typical wavelengths of sound waves in air corresponding to these two frequencies? Take the speed of sound in air as  $344 \text{ ms}^{-1}$ .

**Ans.** Given, speed of sound,  $v = 344 \text{ ms}^{-1}$

For frequency  $\nu_1 = 20 \text{ Hz}$ , wavelength,  $\lambda_1 = ?$

Wavelength of sound of frequency 20 Hz

$$\lambda_1 = \frac{v}{\nu_1} = \frac{344}{20} = \mathbf{17.2 \text{ m}}$$

For frequency  $\nu_2 = 20 \text{ kHz} = 20000 \text{ Hz}$ ,

wavelength,  $\lambda_2 = ?$

$$\lambda_2 = \frac{v}{\nu_2} = \frac{344}{20000} = \mathbf{1.72 \times 10^{-2} \text{ m}}$$

**Q8.** Two children are at opposite ends of an aluminium rod. One strikes the end of the rod with a stone. Find the ratio of times taken by the sound wave in air and in aluminium to reach the second child. Given, velocity of sound in air and aluminium are  $346 \text{ ms}^{-1}$  and  $6420 \text{ ms}^{-1}$  respectively.

**Ans.** Here, the distance travelled by sound waves through air and aluminium is same which is equal to the length (s) of the rod.

For air, let the speed be  $\nu_1$  and time be  $t_1$ .


For Al, let the speed be  $\nu_2$  and time be  $t_2$ .

$$\text{Now, } \nu_1 = \frac{s}{t_1} \quad \text{or} \quad s = \nu_1 t_1 \quad \text{----- (1)}$$

$$\text{Also, } \nu_2 = \frac{s}{t_2} \quad \text{or} \quad s = \nu_2 t_2 \quad \text{----- (2)}$$

From (1) & (2), we get,  $\nu_1 t_1 = \nu_2 t_2$

$$\frac{t_1}{t_2} = \frac{\nu_2}{\nu_1} = \frac{6420}{346} = \mathbf{18.55}$$

**Q9.** The frequency of a source of sound is 100 Hz. How many times does it vibrate in a minute ? 

**Ans.** No. of vibrations produced in  $1 \text{ s} = 100$

$\therefore$  No. of vibrations produced in 1 minute i.e.,

$$60 \text{ seconds} = 100 \times 60 = 6000.$$

Thus, the source of sound vibrates 6000 times in a minute.

**Q10.** Does sound follow the same laws of reflection as light does ? Explain.

**Ans.** Yes, sound and light follow the same laws of reflection given below :

(a) Angle of incidence = Angle of reflection.

(b) The incident sound wave, the normal and the reflected sound wave lie in the same plane.

**Q11.** When a sound is reflected from a distant object, an echo is produced. Let the distance between the reflecting surface and the source of sound production remain the same. Do you hear echo sound on a hotter day ?

**Ans.** If the temperature rises, the speed of sound will increase. Thus, the time taken by the sound to reach initial point decreases. That is, it will be certainly less than 0.1 s (the sensation of sound persists in our brain for about 0.1 s). Thus, no echo is heard.

**Q12.** Give two practical applications of reflection of sound waves.

**Ans.** (i) Megaphones which are designed to send sound waves in particular direction are based on the reflection of sound.

(ii) In stethoscope the sound of patient's heartbeat reaches the doctor's ears by multiple reflection in the tubes.

**Q13.** A stone is dropped from the top of a tower 500 m high into a pond of water at the base of the tower. When is the splash heard at the top ? Given,  $g = 10 \text{ ms}^{-2}$  ; speed of sound = 340 m/s.

**Ans.** For the downward journey of stone,

Initial velocity,  $u = 0$

Distance travelled,  $s = \text{height of tower}$

$= 500 \text{ m}$



Time of fall,  $t_1 = ?$

Acceleration due to gravity,  $g = 10 \text{ ms}^{-2}$

$$s = ut + \frac{1}{2}gt^2$$

$$\text{or } 500 = 0 \times t_1 + \frac{1}{2} \times 10 \times t_1^2$$

$$\text{or } 500 = 5t_1^2 \quad \text{or} \quad t_1^2 = 100$$

$$\therefore t_1 = 10 \text{ s}$$

For the sound travelling upward,

Time taken,  $t_2 = ?$



There is no effect of gravity on the propagation of sound i.e, always the formula of uniform motion is used for sound or any other wave.

$$\text{Speed of sound, } v = \frac{s}{t_2}$$

$$\text{or } t_2 = \frac{s}{v} = \frac{500}{340} = 1.47 \text{ s}$$

$$\text{Total time} = t_1 + t_2 = 10 + 1.47 = \mathbf{11.47 \text{ s}}$$

**Q14.** A sound wave travels at a speed of  $339 \text{ ms}^{-1}$ . If its wavelength is  $1.5 \text{ cm}$ , what is the frequency of the wave? Will it be audible ?

**Ans.** Speed of sound wave,  $v = 339 \text{ ms}^{-1}$  ;

Wavelength,  $\lambda = 1.5 \text{ cm} = 0.015 \text{ m}$  ;

Frequency,  $v = ?$

$$\text{Frequency, } v = \frac{v}{\lambda} = \frac{339}{0.015} = \mathbf{22600 \text{ Hz}}$$

The sound will not be audible, because human beings can hear only up to  $20,000 \text{ Hz}$ .

**Q15.** What is reverberation ? How can it be reduced ?

**Ans.** Reverberation is the repeated/multiple reflections of sound in any big enclosed space. It can be reduced by covering the ceiling and walls of the enclosed space with some sound-absorbing materials like fibre board, loose woollens etc.

**Q16.** What is loudness of sound ? What factors does it depend on ?

**Ans.** The loudness of the sounds humans perceive relates to the intensity of the audible sound. Loudness is a subjective property of the sound that depends on the human ear, the sensitivity of the ear to the frequency of the sound, and the distance from the source of the sound.

Loudness of the sound depends inversely on the square of the distance of the observer from the source of sound, and is directly proportional to the square of the amplitude of the sound wave.

**Q17.** Explain how bats use ultrasound to catch their prey.

**Ans.** The bats produce high pitched ultrasonic waves which are not heard by human beings. The ultrasonic waves on striking the insect send back an echo, which is heard by the bat. As the echo is heard by the bat, it moves towards the insect and catches it.

**Q18.** How is ultrasound used for cleaning ?

**Ans.** The object to be cleaned is put in a tank fitted with ultrasonic vibrator. The tank is filled with water containing detergent. As the ultrasonic vibrator is switched on, the detergent rubs against the object at a very high speed and hence cleans it.

**Q19.** Explain the working and applications of a sonar.

**Ans.** Refer theory, page no.71.

**Q20.** A sonar device on a submarine sends out a signal and receives an echo 5 s later. Calculate the speed of sound in water if the distance of the object from the submarine is 3625 m.

**Ans.**



**Q38.** Explain how defects in a metal block can be detected using ultrasound.



**Ans.** Refer theory, page no.70.



**Q39.** Explain how the human ear works.

**Ans.** Refer theory, page no.72.

