CHAPTER 7

STRUCTURAL ORGANISATION IN ANIMALS

MULTIPLE CHOICE QUESTIONS

- 1. Which one of the following types of cell is involved in making of the inner walls of blood vessels?
 - a. Cuboidal epithelium
 - b. Columnar epithelium
 - c. Squamous epithelium
 - d. Stratified epithelium
- 2. To which one of the following categories does adipose tissue belong?
 - a. Epithelial
 - b. Connective
 - c. Muscular
 - d. Neural
- 3. Which one of the following is not a connective tissue?
 - a. Bone
 - b. Cartilage
 - c. Blood
 - d. Muscles
- 4. Setae help in locomotion in earthworm but are not uniformly present in all the segments. They are present in
 - a. 1st segment
 - b. Last segment
 - c. Clitellar segment
 - d. 20th 22nd segment
- 5. Which one of the following statements is true for cockroach?
 - a. The number of ovarioles in each ovary are ten.
 - b. The larval stage is called caterpillar
 - c. Anal styles are absent in females
 - d. They are ureotelic

A. Adipose tissue i. Nose B. Stratified epithelium ii. Blood C. Hyaline cartilage iii. Skin D. Fluid connective tissue iv. Fat storage Options: a. A-i, B-ii, C-ii, D-ii c. A-iii, B-i, C-iv, D-ii d. A-ii, B-i, C-iv, D-ii d. A-ii, B-i, C-iv, D-iii 7. Match the following and choose the correct option Column I A. Hermaphrodite i. Produces blood cells and haemoglobin B. Direct development ii. Testis and ovary in the same animal C. Chemoreceptor iii. Larval form absent D. Blood gland in earthworm iv. Sense of chemical substances Options: a. A-ii, B-iii, C-iv, D-i b. A-iii, B-iii, C-iv, D-i c. A-i, B-iii, C-iv, D-i d. A-ii, B-iii, C-iv, D-i c. A-i, B-iii, C-iv, D-i c. A-i, B-iii, C-iv, D-i d. A-ii, B-ii, C-ii, D-i d. A-ii, B-ii, C-ii, D-i d. A-ii, B-ii, C-ii, D-i c. Spermatophore ii. Chain of developing ova B. Gonopore ii. Bundles of sperm C. Spermatophore ii. Opening of the ejaculatory duct D. Ovarioles iv. The external genitalia Options: a. A-ii, B-iy, C-ii, D-i b. A-iv, B-ii, C-ii, D-i c. A-iv, B-ii, C-ii, D-i d. A-ii, B-iv, C-ii, D-i c. A-iv, B-ii, C-ii, D-i c. A-iv, B-ii, C-ii, D-i d. A-ii, B-iv, C-ii, D-i c. A-iv, B-ii, C-ii, D-i d. A-ii, B-iv, C-ii, D-i d. A-ii, B-iv, C-ii, D-i c. A-iv, B-ii, C-ii, D-i d. A-ii, B-iv, C-ii, D-i c. A-iv, B-ii, C-ii, D-i d. A-ii, B-iv, C-ii, D-i d. A-ii, B-iv, C-ii, D-i b. A-iv, B-ii, C-ii, D-i c. A-iv, B-ii, C-ii, D-i c. A-iv, B-ii, C-ii, D-i c. A-iv, B-ii, C-ii, D-i d. A-ii, B-iv, C-ii, D-i d	6.										
B. Stratified epithelium ii. Blood C. Hyalıne cartilage iii. Skin D. Fluid connective tissue iv. Fat storage Options: a. A-i, B-ii, C-ii, D-ii a. A-iv, B-iii, C-i, D-ii Column I c. A-iii, B-i, C-iv, D-iii Column I d. A-ii, B-i, C-iv, D-iii Column I A. Hermaphrodite i. Produces blood cells and haemoglobin B. Direct development ii. Testis and ovary in the same animal C. Chemoreceptor iii. Laval form absent D. Blood gland in earthworm iv. Sense of chemical substances Options: a. A-ii, B-iii, C-iv, D-i a. A-ii, B-iii, C-iv, D-i Sense of chemical substances Options: a. A-ii, B-iii, C-iv, D-i a. A-ii, B-iv, C-iii, D-i Column I Column I Sense of chemica		۸		÷		Column II					
C. Hyaline cartilage iii. Skin D. Fluid connective tissue iv. Fat storage Options: a. A-i, B-ii, C-ii, D-ii c. A-iii, B-i, C-iv, D-ii d. A-ii, B-i, C-iv, D-ii d. A-ii, B-i, C-iv, D-iii 7. Match the following and choose the correct option Column I A. Hermaphrodite i. Produces blood cells and harmoglobin B. Direct development ii. Testis and ovary in the same animal C. Chemoreceptor iii. Larval form absent D. Blood gland in earthworm iv. Sense of chemical substances Options: a. A-ii, B-ii, C-iv, D-i b. A-iii, B-ii, C-iv, D-i c. A-i, B-iii, C-iv, D-i b. A-iii, B-ii, C-iv, D-i c. A-i, B-iii, C-iv, D-i b. A-iii, B-ii, C-ii, D-i c. Spermatophore ii. Guumn II A. Phallomere ii. Column II A. Phallomere ii. Sundles of sperm C. Spermatophore iii. Opening of the ejaculatory duct D. Ovarioles iv. The external genitalia Options: a. A-iti, B-iv, C-ii, D-i b. A-iv, B-ii, C-ii, D-i c. A-iv, B-ii, C-ii, D-i c. A-iv, B-ii, C-ii, D-i c. A-iv, B-ii, C-ii, D-i b. A-iv, B-ii, C-ii, D-i c. A-iv, B-ii, C-ii, D-i b. A-iv, B-ii, C-ii, D-i c. A-iv, B-ii, C-ii, D-i b. A-iv, B-ii, C-ii, D-i c. Column I A. Touch i. Nasal epithelium B. Smell ii. Foramen magnum c. Cranial nerves iii. Sensory papillae			-								
D. Fluid connective tissue iv. Fat storage Options: a. A-i, B-ti, C-tii, D-iv b. A-iv, B-tii, C-i, D-ii c. A-iti, B-i, C-iv, D-ii d. A-ii, B-i, C-iv, D-iii 7. Match the following and choose the correct option Column I A. Hermaphrodite B. Direct development C. Chemoreceptor D. Blood gland in earthworm iv. Blood gland in earthworm iv. Blood gland in earthworm iv. Sense of chemical substances Options: a. A-ii, B-iii, C-iv, D-i b. A-iii, B-iii, C-iv, D-i c. A-i, B-iii, C-iv, D-i c. A-i, B-iii, C-iv, D-i d. A-ii, B-iv, C-iii, D-i 3. Match the following with reference to cockroach and choose the correct option: Column I A. Phallomere i. Column I A. Phallomere ii. Column I A. A-iii, B-iv, C-iii, D-i C. Spermatophore iii. D. Ovarioles iv. The external genitalia Options: a. A-iii, B-iv, C-ii, D-i b. A-iv, B-ii, C-ii, D-i c. Column I A. Toucch i. Nasal epithelium B. Smell ii. Foramen magnum C. Cranial nerves iii.			-								
Options: a. A-i, B-ii, C-iii, D-iv a. A-iv, B-iii, C-i, D-ii b. A-iv, B-iii, C-iv, D-ii c. A-iii, B-i, C-iv, D-iii column I d. A-ii, B-i, C-iv, D-iii column I 7. Match the following and choose the correct option Column I Column I A. Hermaphrodite i. Produces blood cells and haemoglobin B. Direct development ii. Testis and ovary in the same animal C. Chemoreceptor iii. Larval form absent D. Blood gland in earthworm iv. Sense of chemical substances Options: a. A-ii, B-iii, C-iv, D-i a. A-ii, B-iii, C-iv, D-i c. A-i, B-iii, C-ii, D-i b. A-iii, B-iv, C-iii, D-i c. Chaumn I A. Phallomere i. Chain of developing ova B. Gonopore ii. Bundles of sperm C. Spermatophore iii. Opening of the ejaculatory duct D. Ovarioles iv. The external genitalia Options: a. A-ii, B-ii, C-ii, D-i a. A-ii, B-iv, C-ii, D-i j. Opening of the ejaculatory duct D. Ovarioles iv. The external genitalia Options: a. A-iii, D-i a. A-iii, B-iv, C-iii, D-i column I A. A-iv, B-iii, C-ii, D-i column											
 a. A-i, B-ii, C-iii, D-iv b. A-tv, B-iii, C-i, D-ii c. A-iii, B-i, C-iv, D-ii d. A-ii, B-i, C-iv, D-iii 7. Match the following and choose the correct option Column I A. Hermaphrodite B. Direct development B. Direct development C. Chemoreceptor B. Bolod gland in earthworm W. Sense of chemical substances Options: a. A-ii, B-iii, C-iv, D-i b. A-iii, B-ii, C-iv, D-i c. A-i, B-iii, C-iv, D-i c. A-i, B-iii, C-ii, D-i d. A-ii, B-iv, C-iii, D-i d. A-fii, B-iv, C-ii, D-i c. Spermatophore ii. Opening of the ejaculatory duct D, Ovarioles iv. The external genitalia Options: a. A-iii, B-iv, C-ii, D-i c. A-iv, B-ii, C-iv, D-i c. Spermatophore ii. Bundles of sperm c. Spermatophore ii. Opening of the ejaculatory duct D, Ovarioles iv. The external genitalia Options: a. A-ii, B-ii, C-ii, D-i c. A-iv, B-ii, C-ii, D-i d. A-ii, B-iv, C-iii, D-i d. A-ii, B-iy, C-iii, D-i c. A-iv, B-ii, C-ii, D-i d. A-ii, B-iy, C-iii, D-i d. A-ii, B-iy, C-iii	•		Fluid connective tissue	1V.		Fat storage					
b. A-iv, B-iii, C-i, D-ii c. A-iii, B-i, C-iv, D-ii d. A-ii, B-i, C-iv, D-iii 7. Match the following and choose the correct option Column I A. Hermaphrodite B. Direct development C. Chemoreceptor Blood gland in earthworm A. Hermaphrodit C. Chemoreceptor Blood gland in earthworm A. Hermaphrodit C. Chemoreceptor Blood gland in earthworm B. Blood gland in earthworm A. Hermaphrodit C. Chemoreceptor Blood gland in earthworm A. Hermaphrodit C. Chemoreceptor Blood gland in earthworm A. Hermaphrodit C. Chemoreceptor Blood gland in earthworm C. A-ii, B-iii, C-iv, D-i C. A-i, B-iii, C-iv, D-i C. A-i, B-iii, C-ii, D-i Column I A. Phallomere B. Gonopore Column I A. Phallomere B. Gonopore Column I A. Phallomere C. Spermatophore C. Spermatophore A-ii, B-ii, C-ii, D-i C. A-iv, B-iii, C-ii, D-i Column I A. Touch A -ii, B-iv, C-iii, D-i Column I A. Touch B. Smell C. Cranial nerves ii. Sensory papillae	-										
 c. A-iii, B-i, C-iv, D-ii d. A-ii, B-i, C-iv, D-iii 7. Match the following and choose the correct option Column I A. Hermaphrodite B. Direct development B. Direct development C. Chemoreceptor Blood gland in earthworm W. Sense of chemical substances Options: a. A-ii, B-iii, C-iv, D-i b. A-iii, B-ii, C-iv, D-i c. A.i, B-iii, C-ii, D-i d. A-ii, B-iii, C-ii, D-i d. A-iii, B-ii, C-ii, D-i d. A-iii, B-ii, C-ii, D-i d. A-iii, B-ii, C-ii, D-i d. A-ii, B-iv, C-iii, D-i <lid. a-iii,="" b-iv,="" c-iii,="" d-i<="" li=""> <lid. a-iii,="" b-iv,="" c-iii,<="" td=""><td></td><td></td><td></td><td></td><td></td><td></td></lid.></lid.>											
 d. A-ii, B-i, C-iv, D-iii 7. Match the following and choose the correct option Column I A. Hermaphrodite B. Direct development B. Direct development C. Chemoreceptor Biood gland in earthworm W. Sense of chemical substances Options: a. A-ii, B-iii, C-iv, D-i b. A-iii, B-ii, C-ii, D-i d. A-ii, B-iii, C-ii, D-i d. A-ii, B-iv, C-iii, D-i d. A-iii, B-iv, C-ii, D-i d. A-ii, B-iv, C-ii, D-i f. A-iv, B-ii, C-ii, D-i f. A-ii, B-iv, C-iii, D-i f. A-ii, B-iv, C-iii, D-i f. A-iii, B-iv, C-iii, D-i f. Nasal epithelium f. Foramen magnum f. Cranial nerves iii. Sensory pajilae 		b.									
 7. Match the following and choose the correct option Column I A. Hermaphrodite B. Direct development B. Direct development C. Chemoreceptor Blood gland in earthworm D. Blood gland in earthworm W. Sense of chemical substances Options: a. A-ii, B-iii, C-iv, D-i b. A-iii, B-ii, C-i, D-i c. A-i, B-iii, C-i, D-i d. A-ii, B-ii, C-ii, D-i d. A-ii, B-iv, C-ii, D-i Bonopore Bundles of sperm C. Spermatophore D. Ovarioles V. The external genitalia Options: a. A-ii, B-ii, C-ii, D-i c. A-iv, B-ii, C-ii, D-i d. A-ii, B-iv, C-ii, D-i d. A-ii, B-iv, C-ii, D-i d. A-ii, B-iv, C-ii, D-i f. A-iv, B-ii, C-ii, D-i g. Match the following and choose the correct option Column I f. Nasal epithelium f. Smell i. Foramen magnum c. Cranial nerves ii. Sensory papillae 											
Column I Column II A. Hermaphrodite i. Produces blood cells and haemoglobin B. Direct development ii. Testis and ovary in the same animal C. Chemoreceptor iii. Larval form absent D. Blood gland in earthworm iv. Sense of chemical substances Options: a. A-ii, B-iii, C-iv, D-i c. A-ii, B-iii, C-ii, D-i c. A-ii, B-ii, C-ii, D-i d. A-ii, B-iv, C-iii, D-i d. A-ii, B-iv, C-iii, D-i S. Match the following with reference to cockroach and choose the correct option Column I A. Phallomere i. Chain of developing ova B. Gonopore ii. Bundles of sperm C. Spermatophore iii. Opening of the ejaculatory duct D. Ovarioles iv. The external genitalia Options: a. A-ii, B-iv, C-ii, D-i Column I a. A-ii, B-i		d.	A-ii, B-i, C-iv, D	-iii							
Column I Column II A. Hermaphrodite i. Produces blood cells and haemoglobin B. Direct development ii. Testis and ovary in the same animal C. Chemoreceptor iii. Larval form absent D. Blood gland in earthworm iv. Sense of chemical substances Options: a. A-ii, B-iii, C-iv, D-i c. A-ii, B-iii, C-ii, D-i d. A-ii, B-ii, C-ii, D-i d. A-ii, B-iv, C-iii, D-i d. Apallomere i. Chain of developing ova B. Gonopore ii. Bundles of sperm C. Spermatophore iii. Opening of the ejaculatory duct D. Ovarioles iv. The external genitalia Options: a. A-ii,	7.	Match the following and choose the correct option									
A. Hermaphrodite i. Produces blood cells and haemoglobin B. Direct development ii. Testis and ovary in the same animal C. Chemoreceptor iii. Larval form absent D. Blood gland in earthworm iv. Sense of chemical substances Option: a. A-ii, B-iii, C-iv, D-i a. A-ii, B-iii, C-ii, D-i Sense of chemical substances Option: a. A-ii, B-iii, C-iv, D-i Sense of chemical substances 8. Match the following with reference to concarb and choose the correct option: Column I Column II A. Phallomere i. Chain of developing ova Beinde of sperm C. Spermatophore iii. Bundles of sperm Column I C. Spermatophore iv. The external genitalia Options: a. A-ii, B-iv, C-ii, D-i a. A-ii, B-iv, C-ii, D-i Sense of chemical substances Pillionere iv. Notellionere iv.			•			-					
B. Direct development ii. Testis and ovary in the same animal C. Chemoreceptor iii. Larval form absent D. Blood gland in earthworm iv. Sense of chemical substances Options: a. A-ii, B-iii, C-iv, D-i Sense of chemical substances a. A-ii, B-iii, C-iv, D-i Sense of chemical substances Options: a. A-ii, B-ii, C-iv, D-i Sense of chemical substances Column I A-ii, B-ii, C-ii, D-i Sense of chemical substances Match the following with reference to cockroach and choose the correct option Column II A. Phallomere i. Chain of developing ova B. Gonopore ii. Bundles of sperm C. Spermatophore ii. Opening of the ejaculatory duct D. Ovarioles iv. The external genitalia Options: a. A-ii, B-iv, C-ii, D-i Sensory papillae 9. Match the following and choose the correct option Column II A. Touch i. Nasal epithelium B. Smell i. Nasal epithelium		А.		i.							
C. Chemoreceptor iii. Larval form absent D. Blood gland in earthworm iv. Sense of chemical substances Options: a. A-ii, B-iii, C-iv, D-i Sense of chemical substances a. A-iii, B-iii, C-iv, D-i Sense of chemical substances Options: a. A-iii, B-ii, C-iv, D-i b. A-iii, B-ii, C-iv, D-i Sense of chemical substances c. A-i, B-iii, C-iv, D-i Sense of chemical substances d. A-ii, B-ii, C-iv, D-i Sense of chemical substances s. Match the following with reference to cockroach and choose the correct option Column I A. Phallomere i. Chain of developing ova B. Gonopore ii. Bundles of sperm C. Spermatophore iii. Opening of the ejaculatory duct D. Ovarioles iv. The external genitalia Options: a. A-iii, B-iv, C-ii, D-i Sense of chemical substances a. A-iii, B-iv, C-iii, D-i Column I Sense of sperm d. A-ii, B-iv, C-iii, D-i Column I Senii, Column I <				•		haemoglobin					
 D. Blood gland in earthworm iv. Sense of chemical substances Options: a. A-ii, B-iii, C-iv, D-i b. A-iii, B-ii, C-ii, D-i c. A-i, B-iii, C-ii, D-i d. A-ii, B-iv, C-iii, D-i 8. Match the following with reference to cockroach and choose the correct option Column I Column II A. Phallomere i. Chain of developing ova B. Gonopore ii. Bundles of sperm C. Spermatophore iii. Opening of the ejaculatory duct D. Ovarioles iv. The external genitalia Options: a. A-iii, B-iv, C-ii, D-i c. A-iv, B-iii, C-ii, D-i c. A-iv, B-iii, C-ii, D-i d. A-ii, B-iv, C-iii, D-i d. Smell i. Nasal epithelium B. Smell ii. Foramen magnum C. Cranial nerves iii. Sensory papillae 		В.	Direct development	ii.							
Options: a. A-ti, B-iii, C-iv, D-i b. A-iii, B-ii, C-iv, D-i c. A-i, B-iii, C-ii, D-i d. A-ii, B-iv, C-iii, D-i d. A-ii, B-iv, C-iii, D-i s. Match the following with reference to cockroach and choose the correct option Column I Column II A. Phallomere i. Chain of developing ova B. Gonopore ii. Bundles of sperm C. Spermatophore iii. Opening of the ejaculatory duct D. Ovarioles iv. The external genitalia Options: a. A-iii, B-iv, C-ii, D-i a. A-iii, B-iv, C-ii, D-i c. A-iv, B-ii, C-ii, D-i d. A-ii, B-iv, C-ii, D-i c. A-iv, B-ii, C-ii, D-i d. A-ii, B-iv, C-iii, D-i c. A-iv, B-ii, C-iii, D-i g. Match the following and choose the correct option Column I A. Touch i. Nasal epithelium B. Smell ii. Foramen magnum C. Cranial nerves iii. Sensory papillae		C.	Chemoreceptor	iii.	_	Larval form absent					
 a. A-ii, B-iii, C-iv, D-i b. A-iii, B-ii, C-iv, D-i c. A-i, B-iii, C-ii, D-i d. A-ii, B-iv, C-iii, D-i 8. Match the following with reference to cockroach and choose the correct option Column I Column II A. Phallomere B. Gonopore B. Gonopore B. Gonopore B. Gonopore B. Bundles of sperm C. Spermatophore ii. Opening of the ejaculatory duct D. Ovarioles iv. The external genitalia Options: a. A-iii, B-iv, C-ii, D-i b. A-iv, B-iii, C-ii, D-i c. A-iv, B-ii, C-ii, D-i d. A-ii, B-iv, C-ii, D-i f. Nasal epithelium B. Smell ii. Foramen magnum C. Cranial nerves iii. Sensory papillae 		D.	Blood gland in earthwo	orm iv.		Sense of chemical substances					
 b. A-iii, B-ii, C-iv, D-i c. A-i, B-iii, C-ii, D-i d. A-ii, B-iv, C-iii, D-i 8. Match the following with reference to cockroach and choose the correct option Column I Column II A. Phallomere i. Chain of developing ova B. Gonopore B. Gonopore ii. Bundles of sperm C. Spermatophore iii. Opening of the ejaculatory duct D. Ovarioles iv. The external genitalia Options: a. A-iii, B-iv, C-ii, D-i b. A-iv, B-ii, C-ii, D-i c. A-iv, B-ii, C-ii, D-i d. A-ii, B-iv, C-iii, D-i 9. Match the following and choose the correct option Column I A. Touch B. Smell C. Cranial nerves iii. Sensory papillae 	Opti	ons:									
 c. A-i, B-iii, C-ii, D-i d. A-ii, B-iv, C-iii, D-i 8. Match the following with reference to cockroach and choose the correct option Column I A. Phallomere B. Gonopore B. Gonopore B. Gonopore B. Bundles of sperm C. Spermatophore D. Ovarioles V. The external genitalia Options: a. A-iii, B-iv, C-ii, D-i b. A-iv, B-ii, C-ii, D-i c. A-iv, B-ii, C-ii, D-i d. A-ii, B-iv, C-iii, D-i d. A-ii, B-iv, C-iii, D-i d. A-ii, B-iv, C-iii, D-i f. Anoch the following and choose the correct option Column I Column I Column II A. Touch B. Smell C. Cranial nerves Sensory papillae 		a.	A-ii, B-iii, C-iv, D	'-i							
 d. A-ii, B-iv, C-iii, D-i 8. Match the following with reference to cockroach and choose the correct option Column I A. Phallomere B. Gonopore B. Gonopore C. Spermatophore D. Ovarioles W. The external genitalia Options: a. A-iii, B-iv, C-ii, D-i b. A-iv, B-iii, C-ii, D-i c. A-iv, B-ii, C-iii, D-i d. A-ii, B-iv, C-iii, D-i d. A-ii, B-iv, C-iii, D-i d. A-ii, B-iv, C-iii, D-i e. A-iv, B-ii, C-iii, D-i f. A-iv, B-ii, C-iii, D-i f. A-iv, B-ii, C-iii, D-i g. Match the following and choose the correct option Column I A. Touch B. Smell C. Cranial nerves Sensory papillae 		b.	A-iii, B-ii, C-iv, D	-i							
 8. Match the following with reference to cockroach and choose the correct option Column I A. Phallomere B. Gonopore B. Gonopore C. Spermatophore D. Ovarioles D. Ovarioles The external genitalia Options: a. A-iii, B-iv, C-ii, D-i b. A-iv, B-iii, C-ii, D-i c. A-iv, B-ii, C-iii, D-i d. A-ii, B-iv, C-iii, D-i d. A-ii, B-iv, C-iii, D-i d. A-ii, B-iv, C-iii, D-i f. A-iv, B-iii, C-iii, D-i g. Match the following and choose the correct option Column I A. Touch B. Smell Cranial nerves K. Sensory papillae 		с.	A-i, B-iii, C-ii, D	•-i							
option Column I Column II A. Phallomere i. Column II A. Phallomere i. Chain of developing ova B. Gonopore ii. Bundles of sperm C. Spermatophore iii. Opening of the ejaculatory duct D. Ovarioles iv. The external genitalia Options: a. A-iii, B-iv, C-ii, D-i b. A-iv, B-iii, C-ii, D-i c. A-iv, B-ii, C-ii, D-i d. A-ii, B-iv, C-iii, D-i Column I A. Touch i. Nasal epithelium B. Smell ii. Foramen magnum C. Cranial nerves iii. Sensory papillae		d.	A-ii, B-iv, C-iii, D	-i							
A.Phallomerei.Chain of developing ovaB.Gonoporeii.Bundles of spermC.Spermatophoreiii.Opening of the ejaculatory ductD.Ovariolesiv.The external genitaliaOptions:a.A-iii, B-iv, C-ii, D-ib.A-iv, B-iii, C-ii, D-ic.A-iv, B-iii, C-ii, D-id.A-ii, B-iv, C-iii, D-id.A-ii, B-iv, C-ii	8.										
 B. Gonopore ii. Bundles of sperm C. Spermatophore iii. Opening of the ejaculatory duct D. Ovarioles iv. The external genitalia Options: a. A-iii, B-iv, C-ii, D-i b. A-iv, B-ii, C-ii, D-i c. A-iv, B-ii, C-iii, D-i d. A-ii, B-iv, C-iii, D-i 9. Match the following and choose the correct option Column I A. Touch B. Smell C. Cranial nerves Sensory papillae 			Column I			Column II					
C. Spermatophore iii. Opening of the ejaculatory duct D. Ovarioles iv. The external genitalia Options: a. A-iii, B-iv, C-ii, D-i b. A-iv, B-ii, C-ii, D-i c. A-iv, B-ii, C-ii, D-i d. A-ii, B-iv, C-iii, D-i d. A-ii, B-iv, C-iii, D-i Column I A. Touch i. Nasal epithelium B. Smell ii. Foramen magnum C. Cranial nerves iii. Sensory papillae		А.	Phallomere	i.		Chain of developing ova					
D. Ovarioles iv. The external genitalia Options: a. A-iii, B-iv, C-ii, D-i b. A-iv, B-iii, C-ii, D-i c. A-iv, B-ii, C-iii, D-i d. A-ii, B-iv, C-iii, D-i 9. Match the following and choose the correct option Column I Column I Column II A. Touch i. Nasal epithelium B. Smell ii. Foramen magnum C. Cranial nerves iii. Sensory papillae		B.	Gonopore	ii.	•	Bundles of sperm					
Options: a. A-iii, B-iv, C-ii, D-i b. A-iv, B-iii, C-ii, D-i c. A-iv, B-ii, C-iii, D-i d. A-ii, B-iv, C-iii, D-i 9. Match the following and choose the correct option Column I A. Touch B. Smell C. Cranial nerves Column I Construction Column I C. Cranial nerves Column I Column I Co		C.	Spermatophore	iii.		Opening of the ejaculatory duct					
Options: a. A-iii, B-iv, C-ii, D-i b. A-iv, B-iii, C-ii, D-i c. A-iv, B-ii, C-iii, D-i d. A-ii, B-iv, C-iii, D-i column I Column I A. Touch i. Nasal epithelium B. Smell ii. Foramen magnum C. Cranial nerves iii. Sensory papillae		D.	Ovarioles	iv.	,	The external genitalia					
 b. A-iv, B-iii, C-ii, D-i c. A-iv, B-ii, C-iii, D-i d. A-ii, B-iv, C-iii, D-i 9. Match the following and choose the correct option Column I Column II A. Touch B. Smell Cranial nerves ii. Sensory papillae 											
 c. A-iv, B-ii, C-iii, D-i d. A-ii, B-iv, C-iii, D-i 9. Match the following and choose the correct option Column I Column II A. Touch i. Nasal epithelium B. Smell ii. Foramen magnum C. Cranial nerves iii. Sensory papillae 		a.		-i							
 d. A-ii, B-iv, C-iii, D-i 9. Match the following and choose the correct option Column I A. Touch B. Smell C. Cranial nerves C. Sensory papillae 											
9.Match the following and choose the correct option Column IColumn IIA.Touchi.B.Smellii.Cranial nervesiii.Sensory papillae											
Column IColumn IIA. Touchi. Nasal epitheliumB. Smellii. Foramen magnumC. Cranial nervesiii. Sensory papillae		a.	A-11, B-1V, C-111, D	-1							
A.Touchi.Nasal epitheliumB.Smellii.Foramen magnumC.Cranial nervesiii.Sensory papillae	9.	Mate	0	ose the co	ori	-					
B.Smellii.Foramen magnumC.Cranial nervesiii.Sensory papillae											
C. Cranial nerves iii. Sensory papillae		А.	Touch		i.	i. Nasal epithelium					
		B.	Smell		ii.	i. Foramen magnum					
D. Medulla oblongata iv. Peripheral nervous system		C.	Cranial nerves	j	iii.	Sensory papillae					
		D.	Medulla oblongata	i	iv.	Peripheral nervous system					

Options:

a.	A-iii,	B-i,	C-ii,	D-iv
b.	A-ii,	B-i,	C-iv,	D-iii
c.	A-iii,	B-iv,	C-ii,	D-i
d.	A-iii.	B-i.	C-iv.	D-ii

VERY SHORT ANSWER TYPE QUESTIONS

- 1. State the number of segments in earthworm which are covered by a prominent dark band or clitellum.
- 2. Where are sclerites present in cockroach?
- 3. How many times do nymphs moult to reach the adult form of cockroach?
- 4. Identify the sex of a frog in which sound producing vocal sacs are present.
- 5. Name the process by which a tadpole develops into an adult frog.
- 6. What is the scientific term given to earthworm's body segments?
- 7. A muscle fibre tapers at both ends and does not show striations. Name the muscle fibre.
- 8. Name the different cell junctions found in tissues.
- 9. Give two identifying features of an adult male frog.
- 10. Which mouth part of cockroach is comparable to our tongue?
- 11. The digestive system of frog is made of the following parts. Arrange them in an order beginning from mouth.

Mouth, oesophagus, buccal cavity, stomach, intestine, cloaca, rectum, cloacal aperture

- 12. What is the difference between cutaneous and pulmonary respiration?
- 13. Special venous connection between liver and intestine and between kidney and intestine is found in frog, what are they called?

SHORT ANSWER TYPE QUESTIONS

- 1. Give the location of hepatic caeca in a cockroach. What is their function?
- 2. Frogs are beneficial for mankind, justify the statement.
- 3. The body of sponges does not possess tissue level of organisation though it is made of thousands of cells. Comment.
- 4. Structural organisation in animals attains different levels as cell organ - organ system. What is missing in this chain? Mention the significance of such an organisation.
- 5. Stratified epithelial cells have limited role in secretion. Justify their role in our skin.
- 6. How does a gap junction facilitate intercellular communication?
- 7. Why are blood, bone and cartilage called connective tissue?
- 8. Why are neurons called excitable cells? Mention special features of the membrane of the neuron?
- 9. Why earthworm is called the friend of farmer?
- 10. How do you distinguish between dorsal and ventral surface of the body of earthworm.
- 11. Correct the wrong statements among the following:
 - a. In earthworm, a single male genital pore is present.
 - b. Setae help in locomotion of earthworm.
 - c. Muscular layer in the body wall of earthworm is made up of only circular muscles.
 - d. Typhlosole is the part of intestine of earthworm.
- 12. Why nephridia in earthworm that are basically similar in structure classified into three types? Mention the names of each.
- 13. Common name of some animals are given in Column A, write their scientific name in Column B.
 - Column A Column B
 - a. Tiger
 - b. Peacock
 - c. Housefly

14. Complete the following statement :

- a. In cockroach grinding of food particle is performed by _____
- b. Malpighian tubules help in removal of ____
- c. Hind gut of cockroach is differentiated into _____
- d. In cockroach blood vessels open into spaces called _____

- 15. Mention special features of eye in Cockroach.
- 16. Frog is a poikilotherm, exhibits camouflage and undergoes aestivation and hibernation, how are all these beneficial to it?
- 17. Write the functions in brief in column B, appropriate to the structures given in column A.

Column A Column B

- a. Nictitating membraneb. Tympanumii. _____
- c. Copulatory pad iii.

i.

Column B

18. Write the appropriate type of tissues in column B according to the functions mentioned in column A.

Column A

- a. Secretion and absorption
- b. Protective covering ii.
- c. Linking and supporting iii.
- 19. Using appropriate examples, differentiate between false and true body segmentation.
- 20. What is special about tissue present in the heart?

LONG ANSWER TYPE QUESTIONS

- 1. Classify and describe epithelial tissue on the basis of structural modifications of cells.
- 2. Write down the common features of the connective tissue. On the basis of structure and function, differentiate between bones and cartilages.
- 3. Comment upon the gametic exchange in earthworm during mating.
- 4. Explain the digestive system of Cockroach with the help of a labelled sketch.
- 5. Draw a neat and well labelled diagram of male reproductive system of a frog.