


CLASS IX: MATHS

Chapter 7: Triangles

Questions and Solutions | Exercise 7.1 - NCERT Books

Q1. In quadrilateral ACBD, $AC = AD$ and AB bisects $\angle A$. Show that $\triangle ABC \cong \triangle ABD$. What can you say about BC and BD ?



Sol. Given : In quadrilateral ACBD, $AC = AD$ and AB bisect $\angle A$.

To prove : $\triangle ABC \cong \triangle ABD$

Proof : In $\triangle ABC$ and $\triangle ABD$

$AC = AD$ (Given)

$AB = AB$ (Common)

$\angle CAB = \angle DAB$ (AB bisect $\angle A$)

$\therefore \triangle ABC \cong \triangle ABD$ (by SAS criteria)


$BC = BD$ (by CPCT)

Q2. ABCD is a quadrilateral in which $AD = BC$ and $\angle DAB = \angle CBA$. Prove that

(i) $\triangle ABD \cong \triangle BAC$

(ii) $BD = AC$

(iii) $\angle ABD = \angle BAC$.



Sol. In $\triangle ABD$ and $\triangle BAC$,

$AD = BC$ (Given)

$\angle DAB = \angle CBA$ (Given)

$AB = AB$ (Common side)


\therefore By SAS congruence rule, we have

$\triangle ABD \cong \triangle BAC$

Also, by CPCT, we have

$BD = AC$ and $\angle ABD = \angle BAC$

Q3. AD and BC are equal perpendiculars to a line segment AB. Show that CD bisects AB.



Sol. Given : AD and BC are equal perpendiculars to line AB.

To prove : CD bisect AB

Proof : In $\triangle OAD$ and $\triangle OBC$

$AD = BC$

(Given)

$\angle OAD = \angle OBC$

(Each 90°)

$\angle AOD = \angle BOC$

(Vertically opposite angles)

$\triangle OAD \cong \triangle OBC$


(AAS rule)

$OA = OB$

(by CPCT)

\therefore CD bisect AB.

Q4. ℓ and m are two parallel lines intersected by another pair of parallel lines p and q . Show that $\triangle ABC \cong \triangle CDA$.



Sol. In $\triangle ABC$ and $\triangle CDA$

$\angle CAB = \angle ACD$

(Pair of alternate angle)

$\angle BCA = \angle DAC$

(Pair of alternate angle)


$AC = AC$

(Common side)

$\therefore \triangle ABC \cong \triangle CDA$

(ASA criteria)

Q5. Line ℓ is the bisector of an angle $\angle A$ and B is any point on ℓ . BP and BQ are perpendiculars from B to the arms of $\angle A$. Show that :





- (i) $\triangle APB \cong \triangle AQB$
- (ii) $BP = BQ$ or B is equidistant from the arms of $\angle A$.

Sol. Given : line ℓ is bisector of angle A and B is any point on ℓ . BP and BQ are perpendicular from B to arms of $\angle A$.

To prove : (i) $\triangle APB \cong \triangle AQB$ (ii) $BP = BQ$.

Proof :

(i) In $\triangle APB$ and $\triangle AQB$

$\angle BAP = \angle BAQ$ (ℓ is bisector)

$AB = AB$ (common)


$\angle BPA = \angle BQA$ (Each 90°)

$\therefore \triangle APB \cong \triangle AQB$ (AAS rule)

(ii) $\triangle APB \cong \triangle AQB$

$BP = BQ$ (By CPCT)

Q6. In figure, $AC = AE$, $AB = AD$ and $\angle BAD = \angle EAC$. Show that $BC = DE$.



Sol. Given : $AC = AE$

$AB = AD$,

$\angle BAD = \angle EAC$

To prove : $BC = DE$

Proof : In $\triangle ABC$ and $\triangle ADE$

$AB = AD$ (Given)

$AC = AE$ (Given)

$\angle BAD = \angle EAC$

Add $\angle DAC$ to both

$\Rightarrow \angle BAD + \angle DAC = \angle DAC + \angle EAC$

$\angle BAC = \angle DAE$


$\triangle ABC \cong \triangle ADE$ (SAS rule)

$BC = DE$ (By CPCT)

Q7. AB is a line segment and P is its mid-point. D and E are points on the same side of AB such that

$\angle BAD = \angle ABE$ and $\angle EPA = \angle DPB$. Show that

- (i) $\triangle DAP \cong \triangle EBP$ (ii) $AD = BE$



Sol. $\angle EPA = \angle DPB$ (Given)

$$\Rightarrow \angle EPA + \angle DPE = \angle DPB + \angle DPE$$

$$\Rightarrow \angle APD = \angle BPE \quad \dots(1)$$

Now, in $\triangle DAP$ and $\triangle EBP$, we have

$$AP = PB \quad (\because P \text{ is mid point of } AB)$$

$$\angle PAD = \angle PBE$$


$$\left. \begin{array}{l} \because \angle PAD = \angle BAD, \angle PBE = \angle ABE \\ \text{and we are given that } \angle BAD = \angle ABE \end{array} \right\}$$

$$\text{Also, } \angle APD = \angle BPE \quad (\text{By 1})$$

$$\therefore \triangle DAP \cong \triangle EBP \quad (\text{By ASA congruence})$$

$$\Rightarrow AD = BE \quad (\text{By CPCT})$$

Q8. In right triangle ABC, right angled at C, M is the mid-point of hypotenuse AB. C is joined to M and produced to a point D such that $DM = CM$. Point D is joined to point B. Show that :



(i) $\triangle AMC \cong \triangle BMD$

(ii) $\angle DBC$ is a right angle.

(iii) $\triangle DBC \cong \triangle ACB$

(iv) $CM = \frac{1}{2} AB$



Sol. (i) In $\triangle AMC \cong \triangle BMD$,
 $AM = BM$ (\because M is mid point of AB)
 $\angle AMC = \angle BMD$ (Vertically opposite angles)
 $CM = DM$ (Given)
 $\therefore \triangle AMC \cong \triangle BMD$ (By SAS congruence)

(ii) $\angle AMC = \angle BMD$,
 $\Rightarrow \angle ACM = \angle BDM$ (By CPCT)
 $\Rightarrow CA \parallel BD$
 $\Rightarrow \angle BCA + \angle DBC = 180^\circ$
 $\Rightarrow \angle DBC = 90^\circ$ ($\because \angle BCA = 90^\circ$)

(iii) In $\triangle DBC$ and $\triangle ACB$,
 $DB = AC$ ($\because \triangle BMD \cong \triangle AMC$)
 $\angle DBC = \angle ACB$ (Each = 90°)
 $BC = BC$ (Common side)
 $\therefore \triangle DBC \cong \triangle ACB$ (By SAS congruence)

(iv) In $\triangle DBC \cong \triangle ACB \Rightarrow CD = AB \dots(1)$
 Also, $\triangle AMC \cong \triangle BMD$
 $\Rightarrow CM = DM$
 $\Rightarrow CM = DM = \frac{1}{2} CD$
 $\Rightarrow CD = 2 CM \dots(2)$
 From (1) and (2),
 $2 CM = AB$
 $\Rightarrow CM = \frac{1}{2} AB$

Questions and Solutions | Exercise 7.2 - NCERT Books

Q1. In an isosceles triangle ABC, with $AB = AC$, the bisectors of $\angle B$ and $\angle C$ intersect each other at O. Join A to O. Show that : (i) $OB = OC$ (ii) AO bisects $\angle A$.

Sol. (i) In $\triangle ABC$, OB and OC are bisectors of $\angle B$ and $\angle C$.

$$\therefore \angle OBC = \frac{1}{2} \angle B \quad \dots(1)$$

$$\angle OCB = \frac{1}{2} \angle C \quad \dots(2)$$

Also, $AB = AC$ (Given)

$$\Rightarrow \angle B = \angle C \quad \dots(3)$$

From (1), (2), (3), we have

$$\angle OBC = \angle OCB$$

Now, in $\triangle OBC$, we have

$$\angle OBC = \angle OCB$$

$$\Rightarrow OB = OC$$

(Sides opposite to equal angles are equal)

$$(ii) \angle OBA = \frac{1}{2} \angle B \text{ and } \angle OCA = \frac{1}{2} \angle C$$

$$\Rightarrow \angle OBA = \angle OCA \quad (\because \angle B = \angle C)$$


$AB = AC$ and $OB = OC$

$\therefore \triangle OAB \cong \triangle OAC$ (SAS congruence criteria)

$$\Rightarrow \angle OAB = \angle OAC$$

$\Rightarrow AO$ bisects $\angle A$.

Q2. In $\triangle ABC$, AD is the perpendicular bisector of BC . Show that $\triangle ABC$ is an isosceles triangle in which $AB = AC$.



Sol. Given : In $\triangle ABC$, AD is perpendicular bisector of BC .

To Prove : $\triangle ABC$ is isosceles \triangle with $AB = AC$

Proof : In $\triangle ADB$ and $\triangle ADC$

$$\angle ADB = \angle ADC \quad (\text{Each } 90^\circ)$$

$$DB = DC \quad (\text{AD is } \perp \text{ bisector of BC})$$


$$AD = AD \quad (\text{Common})$$

$$\triangle ADB \cong \triangle ADC \quad (\text{By SAS rule})$$

$$AB = AC \quad (\text{By CPCT})$$

$\therefore \triangle ABC$ is an isosceles \triangle with $AB = AC$

- Q3.** ABC is an isosceles triangle in which altitudes BE and CF are drawn to equal sides AC and AB respectively. Show that these altitudes are equal.



Sol. In $\triangle ABE$ and $\triangle ACF$, we have

$$\angle BEA = \angle CFA \quad (\text{Each} = 90^\circ)$$


$$\angle A = \angle A \quad (\text{Common angle})$$

$$AB = AC \quad (\text{Given})$$

$$\therefore \triangle ABE \cong \triangle ACF \quad (\text{By AAS congruence criteria})$$

$$\Rightarrow BE = CF \quad (\text{By CPCT})$$

- Q4.** ABC is a triangle in which altitudes BE and CF to sides AC and AB are equal (See figure). Show that (i) $\triangle ABE \cong \triangle ACF$
(ii) $AB = AC$, i.e., ABC is an isosceles triangle.



Sol. (i) In $\triangle ABE$ and $\triangle ACF$, we have

$$\angle A = \angle A \quad (\text{Common})$$

$$\angle AEB = \angle AFC \quad (\text{Each} = 90^\circ)$$


$$BE = CF \quad (\text{Given})$$

$$\therefore \triangle ABE \cong \triangle ACF \quad (\text{By ASA congruence})$$

(ii) $\triangle ABE \cong \triangle ACF$

$$\Rightarrow AB = AC \quad (\text{By CPCT})$$

Q5. ABC and DBC are two isosceles triangles on the same base BC (see figure). Show that $\angle ABD = \angle ACD$.



Sol. Given : ABC and BCD are two isosceles triangle on common base BC.

To prove : $\angle ABC = \angle ACD$

Proof : ABC is an isosceles

Triangle on base BC

$$\therefore \angle ABC = \angle ACB \quad \dots(1)$$

\therefore DBC is an isosceles Δ on base BC.


$$\angle DBC = \angle DCB \quad \dots(2)$$

Adding (1) and (2)

$$\angle ABC + \angle DBC = \angle ACB + \angle DCB$$

$$\Rightarrow \angle ABD = \angle ACD$$

Q6. ΔABC is an isosceles triangle in which $AB = AC$. Side BA is produced to D such that $AD = AB$ (see figure). Show that $\angle BCD$ is a right angle.



Sol. In ΔABC , $AB = AC$

$$\Rightarrow \angle ACB = \angle ABC \quad \dots(1)$$

In ΔACD ,

$$AD = AB \quad \text{(By construction)}$$

$$\Rightarrow AD = AC$$

$$\Rightarrow \angle ACD = \angle ADC \quad \dots(2)$$

Adding (1) and (2),

$$\angle ACB + \angle ACD = \angle ABC + \angle ADC$$

$$\Rightarrow \angle BCD = \angle ABC + \angle ADC$$

$$\text{In } \triangle DBC + \angle ABC + \angle BCD + \angle CDB = 180^\circ$$

$$\Rightarrow 2 \angle BCD = 180^\circ$$

$$\Rightarrow \angle BCD = 90^\circ$$

Q7. ABC is a right angled triangle in which $\angle A = 90^\circ$ and $AB = AC$. Find $\angle B$ and $\angle C$.

Sol. In $\triangle ABC$

$$AB = AC$$

$$\angle B = \angle C \quad \dots(1)$$

(angles opposite to equal sides are equal)

In $\triangle ABC$


$$\angle A + \angle B + \angle C = 180^\circ$$

$$90^\circ + \angle B + \angle C = 180^\circ$$

$$\angle B + \angle C = 90^\circ \quad \dots(2)$$

from (1) and (2)

$$\angle B = \angle C = 45^\circ$$



Q8. Show that the angles of an equilateral triangle are 60° each.

Sol. $\triangle ABC$ is equilateral triangle.

$$\Rightarrow AB = BC = CA$$

Now, $AB = BC$

$$\Rightarrow \angle C = \angle A \quad \dots(1)$$

$$\Rightarrow \angle C = \angle A \quad \dots(1)$$


Similarly, $\angle A = \angle B \quad \dots(2)$

From (1) and (2),

$$\angle A = \angle B = \angle C \quad \dots(3)$$

$$\text{Also, } \angle A + \angle B + \angle C = 180^\circ \quad \dots(4)$$


$$\Rightarrow \angle A = \angle B = \angle C = \frac{1}{3} \times 180^\circ = 60^\circ$$





Questions and Solutions | Exercise 7.3 - NCERT Books

Q1. $\triangle ABC$ and $\triangle DBC$ are two isosceles triangles on the same base BC and vertices A and D are on the same side of BC (see figure). If AD is extended to intersect BC at P , show that



- (i) $\triangle ABD \cong \triangle ACD$
- (ii) $\triangle ABP \cong \triangle ACP$
- (iii) AP bisects $\angle A$ as well as $\angle D$
- (iv) AP is the perpendicular bisector of BC .

Sol. In $\triangle ABD$ and $\triangle ACD$,

$AB = AC$ ($\because \triangle ABC$ is isosceles)
 $DB = DC$ ($\because \triangle DBC$ is isosceles)
 $AD = AD$ (Common side)
 $\therefore \triangle ABD \cong \triangle ACD$ (By SSS congruence rule)

(ii) Now, $\triangle ABD \cong \triangle ACD$
 $\Rightarrow \angle BAD = \angle CAD$ (By CPCT) ... (1)

In $\triangle ABP$ and $\triangle ACP$,
 $AB = AC$ ($\because \triangle ABC$ is isosceles)
 $\Rightarrow \angle BAP = \angle CAP$ (By 1)
 $AP = AP$ (common side)
 $\therefore \triangle ABP \cong \triangle ACP$ (By SAS congruence rule)

(iii) $\triangle ABD \cong \triangle ADC$ (Proved above)
 $\angle BAD = \angle CAD$ (by CPCT)
 $\angle ADB = \angle ADC$ (by CPCT)
 $180 - \angle ADB = 180 - \angle ADC$
 $\Rightarrow \angle BDP = \angle CDP$


AP bisects $\angle A$ as well as $\angle D$

(iv) $\triangle ABP \cong \triangle ACP$
 $\Rightarrow BP = CP$ (By CPCT)

\Rightarrow AP bisects BC
 $\angle APB = \angle APC$ (By CPCT)
 $\angle APB + \angle APC = 180^\circ$
 $2\angle APB = 180^\circ$
 $\angle APB = 90^\circ$
 AP is perpendicular bisector of BC

Q2. AD is an altitude of an isosceles triangle ABC in which $AB = AC$. Show that
 (i) AD bisects BC (ii) AD bisects $\angle A$

Sol. Given : AD is an altitude of an isosceles triangle ABC in which $AB = AC$.



To Prove : (i) AD bisect BC. (ii) AD bisect $\angle A$.

Proof : (i) In right $\triangle ADB$ and right $\triangle ADC$.

Hyp. $AB = AC$

$\angle ADB = \angle ADC$ (Each 90°)

Side $AD = AD$ (Common)

$\triangle ADB \cong \triangle ADC$ (RHS rule)

$\Rightarrow BD = CD$ (By CPCT)

\Rightarrow AD bisect BC

(ii) $\triangle ADB \cong \triangle ADC$


$\angle BAD = \angle CAD$ (By CPCT)

\Rightarrow AD bisect $\angle A$

Q3. Two sides AB and BC and median AM of one triangle ABC are respectively equal to side PQ and QR and median PN of $\triangle PQR$ (see figure). Show that :

(i) $\triangle ABM \cong \triangle PQN$

(ii) $\triangle ABC \cong \triangle PQR$



Sol. (i) $BM = \frac{1}{2} BC$ (\because M is mid-point of BC)

$QN = \frac{1}{2} QR$ (\because N is mid-point of QR)

$\Rightarrow BM = QN$ (\because BC = QR is given)

Now, in $\triangle ABM$ and $\triangle PQN$, we have

$AB = PQ$ (Given)

$BM = QN$ (Proved)

$AM = PN$ (Given)

$\therefore \triangle ABM \cong \triangle PQN$ (SSS congruence criteria)

(ii) $\triangle ABM \cong \triangle PQN$

$\Rightarrow \angle ABM = \angle PQN$

$\angle B = \angle Q$ (By CPCT)


Now, in $\triangle ABC$ and $\triangle PQN$,

$AB = PQ, \angle B = \angle Q$ and $BC = QN$

$\Rightarrow \triangle ABC \cong \triangle PQN$ [by SAS cong.]

Q4. BE and CF are two equal altitudes of a triangle ABC. Using RHS congruence rule, prove that the triangle ABC is isosceles.

Sol. Given BE and CF are two altitude of $\triangle ABC$.



To prove : $\triangle ABC$ is isosceles.

Proof : In right $\triangle BEC$ and right $\triangle CFB$ side

$BE =$ side CF (Given)

Hyp. $BC =$ Hyp CB (Common)

$\angle BEC = \angle BFC$ (Each 90°)

$\triangle BEC \cong \triangle CFB$ (RHS Rule)



$$\therefore \angle BCE = \angle CBF \quad (\text{By CPCT})$$

$$AB = AC$$

(Side opp. to equal angles are equal)

$\triangle ABC$ is isosceles.

Q5. ABC is an isosceles triangle with $AB = AC$. Draw $AP \perp BC$ to show that $\angle B = \angle C$

Sol. In $\triangle APB$ and $\triangle APC$

$$AB = AC \quad (\text{Given})$$

$$\angle APB = \angle APC \quad (\text{Each} = 90^\circ)$$

$$AP = AP \quad (\text{common side})$$

Therefore, by RHS congruence criteria, we have

$$\triangle APB \cong \triangle APC$$

$$\Rightarrow \angle ABP = \angle ACP \quad (\text{By CPCT})$$

$$\Rightarrow \angle B = \angle C$$

