



CLASS VIII: Maths  
Chapter 12: Factorisation

Questions and Solutions | Exercise 12.1 - NCERT Books

Q 1. Find the common factors of the terms

(i)  $12x, 36$

(ii)  $2y, 22xy$

(iii)  $14pq, 28p^2q^2$

(iv)  $2x, 3x^2, 4$

(v)  $6abc, 24ab^2, 12a^2b$

(vi)  $16x^3, -4x^2, 32x$

(vii)  $10pq, 20qr, 30rp$

(viii)  $3x^2y^3, 10x^3y^2, 6x^2y^2z$

Answer :

(i)  $12x = 2 \times 2 \times 3 \times x$

$36 = 2 \times 2 \times 3 \times 3$

The common factors are 2, 2, 3.

And,  $2 \times 2 \times 3 = 12$

(ii)  $2y = 2 \times y$

$22xy = 2 \times 11 \times x \times y$

The common factors are 2, y.

And,  $2 \times y = 2y$

(iii)  $14pq = 2 \times 7 \times p \times q$

$28p^2q^2 = 2 \times 2 \times 7 \times p \times p \times q \times q$



The common factors are 2, 7,  $p$ ,  $q$ .

$$\text{And, } 2 \times 7 \times p \times q = 14pq$$

$$\text{(iv) } 2x = 2 \times x$$

$$3x^2 = 3 \times x \times x$$

$$4 = 2 \times 2$$

The common factor is 1.

$$\text{(v) } 6abc = 2 \times 3 \times a \times b \times c$$

$$24ab^2 = 2 \times 2 \times 2 \times 3 \times a \times b \times b$$

$$12a^2b = 2 \times 2 \times 3 \times a \times a \times b$$

The common factors are 2, 3,  $a$ ,  $b$ .

$$\text{And, } 2 \times 3 \times a \times b = 6ab$$

$$\text{(vi) } 16x^3 = 2 \times 2 \times 2 \times 2 \times x \times x \times x$$

$$-4x^2 = -1 \times 2 \times 2 \times x \times x$$

$$32x = 2 \times 2 \times 2 \times 2 \times 2 \times x$$

The common factors are 2, 2,  $x$ .

$$\text{And, } 2 \times 2 \times x = 4x$$

$$\text{(vii) } 10pq = 2 \times 5 \times p \times q$$

$$20qr = 2 \times 2 \times 5 \times q \times r$$

$$30rp = 2 \times 3 \times 5 \times r \times p$$

The common factors are 2, 5.

$$\text{And, } 2 \times 5 = 10$$

$$\text{(viii) } 3x^2y^3 = 3 \times x \times x \times y \times y \times y$$

$$10x^3y^2 = 2 \times 5 \times x \times x \times x \times y \times y$$



$$6x^2y^2z = 2 \times 3 \times x \times x \times x \times y \times y \times z$$

The common factors are  $x, x, y, y$ .

And,

$$x \times x \times y \times y = x^2y^2$$

Q2 :

Factorise the following expressions

(i)  $7x - 42$

(ii)  $6p - 12q$

(iii)  $7a^2 + 14a$

(iv)  $-16z + 20z^3$

(v)  $20l^2m + 30alm$

(vi)  $5x^2y - 15xy^2$

(vii)  $10a^2 - 15b^2 + 20c^2$

(viii)  $-4a^2 + 4ab - 4ca$

(ix)  $x^2yz + xy^2z + xyz^2$

(x)  $ax^2y + bxy^2 + cxyz$

Answer :

(i)  $7x = 7 \times x$

$$42 = 2 \times 3 \times 7$$

The common factor is 7.

$$\therefore 7x - 42 = (7 \times x) - (2 \times 3 \times 7) = 7(x - 6)$$



$$(ii) 6p = 2 \times 3 \times p$$

$$12q = 2 \times 2 \times 3 \times q$$

The common factors are 2 and 3.

$$\therefore 6p - 12q = (2 \times 3 \times p) - (2 \times 2 \times 3 \times q)$$

$$= 2 \times 3 [p - (2 \times q)]$$

$$= 6(p - 2q)$$

$$(iii) 7a^2 = 7 \times a \times a$$

$$14a = 2 \times 7 \times a$$

The common factors are 7 and  $a$ .

$$\therefore 7a^2 + 14a = (7 \times a \times a) + (2 \times 7 \times a)$$

$$= 7 \times a [a + 2] = 7a(a + 2)$$

$$(iv) 16z = 2 \times 2 \times 2 \times 2 \times z$$

$$20z^3 = 2 \times 2 \times 5 \times z \times z \times z$$

The common factors are 2, 2, and  $z$ .

$$\therefore -16z + 20z^3 = -(2 \times 2 \times 2 \times 2 \times z) + (2 \times 2 \times 5 \times z \times z \times z)$$

$$= (2 \times 2 \times z) [-(2 \times 2) + (5 \times z \times z)]$$

$$= 4z(-4 + 5z^2)$$

$$(v) 20l^2m = 2 \times 2 \times 5 \times l \times l \times m$$

$$30alm = 2 \times 3 \times 5 \times a \times l \times m$$

The common factors are 2, 5,  $l$ , and  $m$ .

$$\therefore 20l^2m + 30alm = (2 \times 2 \times 5 \times l \times l \times m) + (2 \times 3 \times 5 \times a \times l \times m)$$

$$= (2 \times 5 \times l \times m) [(2 \times l) + (3 \times a)]$$

$$= 10lm(2l + 3a)$$



$$(vi) 5x^2y = 5 \times x \times x \times y$$

$$15xy^2 = 3 \times 5 \times x \times y \times y$$

The common factors are 5, x, and y.

$$\therefore 5x^2y - 15xy^2 = (5 \times x \times x \times y) - (3 \times 5 \times x \times y \times y)$$

$$= 5 \times x \times y [x - (3 \times y)]$$

$$= 5xy (x - 3y)$$

$$(vii) 10a^2 = 2 \times 5 \times a \times a$$

$$15b^2 = 3 \times 5 \times b \times b$$

$$20c^2 = 2 \times 2 \times 5 \times c \times c$$

The common factor is 5.

$$10a^2 - 15b^2 + 20c^2 = (2 \times 5 \times a \times a) - (3 \times 5 \times b \times b) + (2 \times 2 \times 5 \times c \times c)$$

$$= 5 [(2 \times a \times a) - (3 \times b \times b) + (2 \times 2 \times c \times c)]$$

$$= 5 (2a^2 - 3b^2 + 4c^2)$$

$$(viii) 4a^2 = 2 \times 2 \times a \times a$$

$$4ab = 2 \times 2 \times a \times b$$

$$4ca = 2 \times 2 \times c \times a$$

The common factors are 2, 2, and a.

$$\therefore -4a^2 + 4ab - 4ca = -(2 \times 2 \times a \times a) + (2 \times 2 \times a \times b) - (2 \times 2 \times c \times a)$$

$$= 2 \times 2 \times a [- (a) + b - c]$$

$$= 4a (-a + b - c)$$

$$(ix) x^2yz = x \times x \times y \times z$$

$$xy^2z = x \times y \times y \times z$$

$$xyz^2 = x \times y \times z \times z$$



The common factors are  $x$ ,  $y$ , and  $z$ .

$$\therefore x^2yz + xy^2z + xyz^2 = (x \times x \times y \times z) + (x \times y \times y \times z) + (x \times y \times z \times z)$$

$$= x \times y \times z [x + y + z]$$

$$= xyz (x + y + z)$$

$$(x) ax^2y = a \times x \times x \times y$$

$$bxy^2 = b \times x \times y \times y$$

$$cxyz = c \times x \times y \times z$$

The common factors are  $x$  and  $y$ .

$a$

Q3 :

Factorise

$$(i) x^2 + xy + 8x + 8y$$

$$(ii) 15xy - 6x + 5y - 2$$

$$(iii) ax + bx - ay - by$$

$$(iv) 15pq + 15 + 9q + 25p$$

$$(v) z - 7 + 7xy - xyz$$

Answer :

$$(i) x^2 + xy + 8x + 8y = x \times x + x \times y + 8 \times x + 8 \times y$$

$$= x(x + y) + 8(x + y)$$

$$= (x + y)(x + 8)$$

$$(ii) 15xy - 6x + 5y - 2 = 3 \times 5 \times x \times y - 3 \times 2 \times x + 5 \times y - 2$$



$$= 3x(5y - 2) + 1(5y - 2)$$

$$= (5y - 2)(3x + 1)$$

$$(iii) ax + bx - ay - by = a \times x + b \times x - a \times y - b \times y$$

$$= x(a + b) - y(a + b)$$

$$= (a + b)(x - y)$$

$$(iv) 15pq + 15 + 9q + 25p = 15pq + 9q + 25p + 15$$

$$= 3 \times 5 \times p \times q + 3 \times 3 \times q + 5 \times 5 \times p + 3 \times 5$$

$$= 3q(5p + 3) + 5(5p + 3)$$

$$= (5p + 3)(3q + 5)$$

$$(v) z - 7 + 7xy - xyz = z - x \times y \times z - 7 + 7 \times x \times x \times y$$

$$= z(1 - xy) - 7(1 - xy)$$

$$= (1 - xy)(z - 7)$$

---

### Questions and Solutions | Exercise 12.2 - NCERT Books

---

Q 1. Factorise the following expressions.

(i)  $a^2 + 8a + 16$

(ii)  $p^2 - 10p + 25$

(iii)  $25m^2 + 30m + 9$

(iv)  $49y^2 + 84yz + 36z^2$

(v)  $4x^2 - 8x + 4$

(vi)  $121b^2 - 88bc + 16c^2$

(vii)  $(l + m)^2 - 4lm$  (Hint: Expand  $(l + m)^2$  first)



$$(viii) a^4 + 2a^2b^2 + b^4$$

Answer :

$$(i) a^2 + 8a + 16 = (a)^2 + 2 \times a \times 4 + (4)^2$$

$$= (a + 4)^2 [(x + y)^2 = x^2 + 2xy + y^2]$$

$$(ii) p^2 - 10p + 25 = (p)^2 - 2 \times p \times 5 + (5)^2$$

$$= (p - 5)^2 [(a - b)^2 = a^2 - 2ab + b^2]$$

$$(iii) 25m^2 + 30m + 9 = (5m)^2 + 2 \times 5m \times 3 + (3)^2$$

$$= (5m + 3)^2 [(a + b)^2 = a^2 + 2ab + b^2]$$

$$(iv) 49y^2 + 84yz + 36z^2 = (7y)^2 + 2 \times (7y) \times (6z) + (6z)^2$$

$$= (7y + 6z)^2 [(a + b)^2 = a^2 + 2ab + b^2]$$

$$(v) 4x^2 - 8x + 4 = (2x)^2 - 2(2x)(2) + (2)^2$$

$$= (2x - 2)^2 [(a - b)^2 = a^2 - 2ab + b^2]$$

$$= [(2)(x - 1)]^2 = 4(x - 1)^2$$

$$(vi) 121b^2 - 88bc + 16c^2 = (11b)^2 - 2(11b)(4c) + (4c)^2$$

$$= (11b - 4c)^2 [(a - b)^2 = a^2 - 2ab + b^2]$$

$$(vii) (l + m)^2 - 4lm = l^2 + 2lm + m^2 - 4lm$$

$$= l^2 - 2lm + m^2$$

$$= (l - m)^2 [(a - b)^2 = a^2 - 2ab + b^2]$$

$$(viii) a^4 + 2a^2b^2 + b^4 = (a^2)^2 + 2(a^2)(b^2) + (b^2)^2$$

$$= (a^2 + b^2)^2 [(a + b)^2 = a^2 + 2ab + b^2]$$



## Q 1. Factorise

(i)  $4p^2 - 9q^2$

(ii)  $63a^2 - 112b^2$

(iii)  $49x^2 - 36$

(iv)  $16x^5 - 144x^3$

(v)  $(l + m)^2 - (l - m)^2$

(vi)  $9x^2y^2 - 16$

(vii)  $(x^2 - 2xy + y^2) - z^2$

(viii)  $25a^2 - 4b^2 + 28bc - 49c^2$

Answer :

$$(i) 4p^2 - 9q^2 = (2p)^2 - (3q)^2$$
$$= (2p + 3q)(2p - 3q) [a^2 - b^2 = (a - b)(a + b)]$$

$$(ii) 63a^2 - 112b^2 = 7(9a^2 - 16b^2)$$
$$= 7[(3a)^2 - (4b)^2]$$
$$= 7(3a + 4b)(3a - 4b) [a^2 - b^2 = (a - b)(a + b)]$$

$$(iii) 49x^2 - 36 = (7x)^2 - (6)^2$$
$$= (7x - 6)(7x + 6) [a^2 - b^2 = (a - b)(a + b)]$$

$$(iv) 16x^5 - 144x^3 = 16x^3(x^2 - 9)$$
$$= 16x^3[(x)^2 - (3)^2]$$
$$= 16x^3(x - 3)(x + 3) [a^2 - b^2 = (a - b)(a + b)]$$

$$(v) (l + m)^2 - (l - m)^2 = [(l + m) - (l - m)][(l + m) + (l - m)]$$

$$[\text{Using identity } a^2 - b^2 = (a - b)(a + b)]$$



$$= (l + m - l + m) (l + m + l - m)$$

$$= 2m \times 2l$$

$$= 4ml$$

$$= 4lm$$

$$(vi) 9x^2y^2 - 16 = (3xy)^2 - (4)^2$$

$$= (3xy - 4) (3xy + 4) [a^2 - b^2 = (a - b) (a + b)]$$

$$(vii) (x^2 - 2xy + y^2) - z^2 = (x - y)^2 - (z)^2 [(a - b)^2 = a^2 - 2ab + b^2]$$

$$= (x - y - z) (x - y + z) [a^2 - b^2 = (a - b) (a + b)]$$

$$(viii) 25a^2 - 4b^2 + 28bc - 49c^2 = 25a^2 - (4b^2 - 28bc + 49c^2)$$

$$= (5a)^2 - [(2b)^2 - 2 \times 2b \times 7c + (7c)^2]$$

$$= (5a)^2 - [(2b - 7c)^2]$$

$$[\text{Using identity } (a - b)^2 = a^2 - 2ab + b^2]$$

$$= [5a + (2b - 7c)] [5a - (2b - 7c)]$$

$$[\text{Using identity } a^2 - b^2 = (a - b) (a + b)]$$

$$= (5a + 2b - 7c) (5a - 2b + 7c)$$

Q3 :

Factorise the expressions

(i)  $ax^2 + bx$

(ii)  $7p^2 + 21q^2$

(iii)  $2x^3 + 2xy^2 + 2xz^2$

(iv)  $am^2 + bm^2 + bn^2 + an^2$

(v)  $(lm + l) + m + 1$



$$(vi) y(y + z) + 9(y + z)$$

$$(vii) 5y^2 - 20y - 8z + 2yz$$

$$(viii) 10ab + 4a + 5b + 2$$

$$(ix) 6xy - 4y + 6 - 9x$$

Answer :

$$(i) ax^2 + bx = a \times x \times x + b \times x = x(ax + b)$$

$$(ii) 7p^2 + 21q^2 = 7 \times p \times p + 3 \times 7 \times q \times q = 7(p^2 + 3q^2)$$

$$(iii) 2x^3 + 2xy^2 + 2xz^2 = 2x(x^2 + y^2 + z^2)$$

$$(iv) am^2 + bm^2 + bn^2 + an^2 = am^2 + bm^2 + an^2 + bn^2$$

$$= m^2(a + b) + n^2(a + b)$$

$$= (a + b)(m^2 + n^2)$$

$$(v) (lm + l) + m + 1 = lm + m + l + 1$$

$$= m(l + 1) + 1(l + 1)$$

$$= (l + 1)(m + 1)$$

$$(vi) y(y + z) + 9(y + z) = (y + z)(y + 9)$$

$$(vii) 5y^2 - 20y - 8z + 2yz = 5y^2 - 20y + 2yz - 8z$$

$$= 5y(y - 4) + 2z(y - 4)$$

$$= (y - 4)(5y + 2z)$$

$$(viii) 10ab + 4a + 5b + 2 = 10ab + 5b + 4a + 2$$

$$= 5b(2a + 1) + 2(2a + 1)$$

$$= (2a + 1)(5b + 2)$$

$$(ix) 6xy - 4y + 6 - 9x = 6xy - 9x - 4y + 6$$



$$= 3x(2y - 3) - 2(2y - 3)$$

$$= (2y - 3) (3x - 2)$$

Q4 :

Factorise

(i)  $a^4 - b^4$

(ii)  $p^4 - 81$

(iii)  $x^4 - (y + z)^4$

(iv)  $x^4 - (x - z)^4$

(v)  $a^4 - 2a^2b^2 + b^4$

Answer :

(i)  $a^4 - b^4 = (a^2)^2 - (b^2)^2$

$$= (a^2 - b^2) (a^2 + b^2)$$

$$= (a - b) (a + b) (a^2 + b^2)$$

(ii)  $p^4 - 81 = (p^2)^2 - (9)^2$

$$= (p^2 - 9) (p^2 + 9)$$

$$= [(p)^2 - (3)^2] (p^2 + 9)$$

$$= (p - 3) (p + 3) (p^2 + 9)$$

(iii)  $x^4 - (y + z)^4 = (x^2)^2 - [(y + z)^2]^2$

$$= [x^2 - (y + z)^2] [x^2 + (y + z)^2]$$

$$= [x - (y + z)][x + (y + z)] [x^2 + (y + z)^2]$$

$$= (x - y - z) (x + y + z) [x^2 + (y + z)^2]$$



$$(iv) x^4 - (x - z)^4 = (x^2)^2 - [(x - z)^2]^2$$

$$= [x^2 - (x - z)^2] [x^2 + (x - z)^2]$$

$$= [x - (x - z)] [x + (x - z)] [x^2 + (x - z)^2]$$

$$= z(2x - z) [x^2 + x^2 - 2xz + z^2]$$

$$= z(2x - z) (2x^2 - 2xz + z^2)$$

$$(v) a^4 - 2a^2b^2 + b^4 = (a^2)^2 - 2(a^2)(b^2) + (b^2)^2$$

$$= (a^2 - b^2)^2$$

$$= [(a - b)(a + b)]^2$$

$$= (a - b)^2 (a + b)^2$$

Q5 :

Factorise the following expressions

(i)  $p^2 + 6p + 8$

(ii)  $q^2 - 10q + 21$

(iii)  $p^2 + 6p - 16$

Answer :

(i)  $p^2 + 6p + 8$

It can be observed that,  $8 = 4 \times 2$  and  $4 + 2 = 6$

$$\therefore p^2 + 6p + 8 = p^2 + 2p + 4p + 8$$

$$= p(p + 2) + 4(p + 2)$$

$$= (p + 2)(p + 4)$$

(ii)  $q^2 - 10q + 21$



It can be observed that,  $21 = (-7) \times (-3)$  and  $(-7) + (-3) = -10$

$$\therefore q^2 - 10q + 21 = q^2 - 7q - 3q + 21$$

$$= q(q - 7) - 3(q - 7)$$

$$= (q - 7)(q - 3)$$

$$(iii) p^2 + 6p - 16$$

It can be observed that,  $16 = (-2) \times 8$  and  $8 + (-2) = 6$

$$p^2 + 6p - 16 = p^2 + 8p - 2p - 16$$

$$= p(p + 8) - 2(p + 8)$$

$$= (p + 8)(p - 2)$$

### Questions and Solutions | Exercise 12.3 - NCERT Books

Q 1. Carry out the following divisions.

$$(i) 28x^4 \div 56x$$

$$(ii) -36y^3 \div 9y^2$$

$$(iii) 66pq^2r^3 \div 11qr^2$$

$$(iv) 34x^3y^3z^3 \div 51xy^2z^3$$

$$(v) 12a^8b^8 \div (-6a^6b^4)$$

Answer :

$$(i) 28x^4 = 2 \times 2 \times 7 \times x \times x \times x \times x$$

$$56x = 2 \times 2 \times 2 \times 7 \times x$$

$$28x^4 \div 56x = \frac{2 \times 2 \times 7 \times x \times x \times x \times x}{2 \times 2 \times 2 \times 7 \times x} = \frac{x^3}{2} = \frac{1}{2}x^3$$



$$(ii) 36y^3 = 2 \times 2 \times 3 \times 3 \times y \times y \times y$$

$$9y^2 = 3 \times 3 \times y \times y$$

$$-36y^3 \div 9y^2 = \frac{-2 \times 2 \times 3 \times 3 \times y \times y \times y}{3 \times 3 \times y \times y} = -4y$$

$$(iii) 66pq^2r^3 = 2 \times 3 \times 11 \times p \times q \times q \times r \times r \times r$$

$$11qr^2 = 11 \times q \times r \times r$$

$$66pq^2r^3 \div 11qr^2 = \frac{2 \times 3 \times 11 \times p \times q \times q \times r \times r \times r}{11 \times q \times r \times r} = 6pqr$$

$$(iv) 34x^3y^3z^3 = 2 \times 17 \times x \times x \times x \times y \times y \times y \times z \times z \times z$$

$$51xy^2z^3 = 3 \times 17 \times x \times y \times y \times z \times z \times z$$

$$34x^3y^3z^3 \div 51xy^2z^3 = \frac{2 \times 17 \times x \times x \times x \times y \times y \times y \times z \times z \times z}{3 \times 17 \times x \times y \times y \times z \times z \times z} = \frac{2}{3}x^2y$$

$$(v) 12a^8b^8 = 2 \times 2 \times 3 \times a^8 \times b^8$$

$$6a^6b^4 = 2 \times 3 \times a^6 \times b^4$$

$$12a^8b^8 \div (-6a^6b^4) = \frac{2 \times 2 \times 3 \times a^8 \times b^8}{-2 \times 3 \times a^6 \times b^4} = -2a^2b^4$$

Q2 :

Divide the given polynomial by the given monomial.

$$(i) (5x^2 - 6x) \div 3x$$

$$(ii) (3y^8 - 4y^6 + 5y^4) \div y^4$$

$$(iii) 8(x^3y^2z^2 + x^2y^3z^2 + x^2y^2z^3) \div 4x^2y^2z^2$$

$$(iv) (x^3 + 2x^2 + 3x) \div 2x$$



$$(v) (p^3q^6 - p^6q^3) \div p^3q^3$$

Answer :

$$(i) 5x^2 - 6x = x(5x - 6)$$

$$(5x^2 - 6x) \div 3x = \frac{x(5x - 6)}{3x} = \frac{1}{3}(5x - 6)$$

$$(ii) 3y^8 - 4y^6 + 5y^4 = y^4(3y^4 - 4y^2 + 5)$$

$$(3y^8 - 4y^6 + 5y^4) \div y^4 = \frac{y^4(3y^4 - 4y^2 + 5)}{y^4} = 3y^4 - 4y^2 + 5$$

$$(iii) 8(x^3y^2z^2 + x^2y^3z^2 + x^2y^2z^3) = 8x^2y^2z^2(x + y + z)$$

$$8(x^3y^2z^2 + x^2y^3z^2 + x^2y^2z^3) \div 4x^2y^2z^2 = \frac{8x^2y^2z^2(x + y + z)}{4x^2y^2z^2} = 2(x + y + z)$$

$$(iv) x^3 + 2x^2 + 3x = x(x^2 + 2x + 3)$$

$$(x^3 + 2x^2 + 3x) \div 2x = \frac{x(x^2 + 2x + 3)}{2x} = \frac{1}{2}(x^2 + 2x + 3)$$

$$(v) p^3q^6 - p^6q^3 = p^3q^3(q^3 - p^3)$$

$$(p^3q^6 - p^6q^3) \div p^3q^3 = \frac{p^3q^3(q^3 - p^3)}{p^3q^3} = q^3 - p^3$$

Q3 :

Work out the following divisions.

$$(i) (10x - 25) \div 5$$

$$(ii) (10x - 25) \div (2x - 5)$$

$$(iii) 10y(6y + 21) \div 5(2y + 7)$$



$$(iv) 9x^2y^2(3z - 24) \div 27xy(z - 8)$$

$$(v) 96abc(3a - 12)(5b - 30) \div 144(a - 4)(b - 6)$$

Answer :

$$(i) \frac{(10x - 25) \div 5}{5} = \frac{2 \times 5 \times x - 5 \times 5}{5} = \frac{5(2x - 5)}{5} = 2x - 5$$

$$(ii) \frac{(10x - 25) \div (2x - 5)}{(2x - 5)} = \frac{2 \times 5 \times x - 5 \times 5}{(2x - 5)} = \frac{5(2x - 5)}{2x - 5} = 5$$

$$(iii) \frac{10y(6y + 21) \div 5(2y + 7)}{5(2y + 7)} = \frac{2 \times 5 \times y[2 \times 3 \times y + 3 \times 7]}{5(2y + 7)}$$

$$= \frac{2 \times 5 \times y \times 3(2y + 7)}{5(2y + 7)} = 6y$$

$$(iv) \frac{9x^2y^2(3z - 24) \div 27xy(z - 8)}{27xy(z - 8)} = \frac{9x^2y^2[3 \times z - 2 \times 2 \times 2 \times 3]}{27xy(z - 8)}$$

$$= \frac{xy \times 3(z - 8)}{3(z - 8)} = xy$$

$$(v) 96abc(3a - 12)(5b - 30) \div 144(a - 4)(b - 6)$$

$$= \frac{96abc(3 \times a - 3 \times 4)(5 \times b - 2 \times 3 \times 5)}{144(a - 4)(b - 6)}$$

$$= \frac{2abc \times 3(a - 4) \times 5(b - 6)}{3(a - 4)(b - 6)} = 10abc$$

Q4 :

Divide as directed.

$$(i) 5(2x + 1)(3x + 5) \div (2x + 1)$$



$$(ii) 26xy(x + 5) \div 13x(y - 4)$$

$$(iii) 52pqr(p + q)(q + r)(r + p) \div 104pq(q + r)(r + p)$$

$$(iv) 20(y + 4)(y^2 + 5y + 3) \div 5(y + 4)$$

$$(v) x(x + 1)(x + 2)(x + 3) \div x(x + 1)$$

Answer :

$$(i) \frac{5(2x+1)(3x+5) \div (2x+1)}{(2x+1)} = 5(3x+1)$$

$$(ii) \frac{26xy(x+5)(y-4) \div 13x(y-4)}{13x(y-4)} = 2y(x+5)$$

$$(iii) 52pqr(p + q)(q + r)(r + p) \div 104pq(q + r)(r + p)$$

$$= \frac{2 \times 2 \times 13 \times p \times q \times r \times (p+q) \times (q+r) \times (r+p)}{2 \times 2 \times 2 \times 13 \times p \times q \times (q+r) \times (r+p)}$$

$$= \frac{1}{2}r(p+q)$$

$$(iv) 20(y + 4)(y^2 + 5y + 3) \div 5(y + 4)$$

$$= \frac{2 \times 2 \times 5 \times (y+4) \times (y^2 + 5y + 3)}{5 \times (y+4)}$$

$$= 4(y^2 + 5y + 3)$$

$$(v) \frac{x(x+1)(x+2)(x+3) \div x(x+1)}{x(x+1)}$$

$$= (x + 2)(x + 3)$$

Q5 :

Factorise the expressions and divide them as directed.

$$(i) (y^2 + 7y + 10) \div (y + 5)$$

$$(ii) (m^2 - 14m - 32) \div (m + 2)$$

$$(iii) (5p^2 - 25p + 20) \div (p - 1)$$

$$(iv) 4yz(z^2 + 6z - 16) \div 2y(z + 8)$$

$$(v) 5pq(p^2 - q^2) \div 2p(p + q)$$

$$(vi) 12xy(9x^2 - 16y^2) \div 4xy(3x + 4y)$$

$$(vii) 39y^3(50y^2 - 98) \div 26y^2(5y + 7)$$

Answer :

$$(i) (y^2 + 7y + 10) = y^2 + 2y + 5y + 10$$

$$= y(y + 2) + 5(y + 2)$$

$$= (y + 2)(y + 5)$$

$$(y^2 + 7y + 10) \div (y + 5) = \frac{(y + 5)(y + 2)}{(y + 5)} = y + 2$$

$$(ii) m^2 - 14m - 32 = m^2 + 2m - 16m - 32$$

$$= m(m + 2) - 16(m + 2)$$

$$= (m + 2)(m - 16)$$

$$(m^2 - 14m - 32) \div (m + 2) = \frac{(m + 2)(m - 16)}{(m + 2)} = m - 16$$

$$(iii) 5p^2 - 25p + 20 = 5(p^2 - 5p + 4)$$

$$= 5[p^2 - p - 4p + 4]$$

$$= 5[p(p - 1) - 4(p - 1)]$$

$$= 5(p - 1)(p - 4)$$

$$(5p^2 - 25p + 20) \div (p-1) = \frac{5(p-1)(p-4)}{(p-1)} = 5(p-4)$$

$$(iv) 4yz(z^2 + 6z - 16) = 4yz [z^2 - 2z + 8z - 16]$$

$$= 4yz [z(z-2) + 8(z-2)]$$

$$= 4yz(z-2)(z+8)$$

$$4yz(z^2 + 6z - 16) \div 2y(z+8) = \frac{4yz(z-2)(z+8)}{2y(z+8)} = 2z(z-2)$$

$$(v) 5pq(p^2 - q^2) = 5pq(p-q)(p+q)$$

$$5pq(p^2 - q^2) \div 2p(p+q) = \frac{5pq(p-q)(p+q)}{2p(p+q)} = \frac{5}{2}q(p-q)$$

$$(vi) 12xy(9x^2 - 16y^2) = 12xy[(3x)^2 - (4y)^2] = 12xy(3x-4y)(3x+4y)$$

$$12xy(9x^2 - 16y^2) \div 4xy(3x+4y) = \frac{2 \times 2 \times 3 \times x \times y \times (3x-4y) \times (3x+4y)}{2 \times 2 \times x \times y \times (3x+4y)} = 3(3x-4y)$$

$$(vii) 39y^3(50y^2 - 98) = 3 \times 13 \times y \times y \times y \times 2[(25y^2 - 49)]$$

$$= 3 \times 13 \times 2 \times y \times y \times y \times [(5y)^2 - (7)^2]$$

$$= 3 \times 13 \times 2 \times y \times y \times y (5y-7)(5y+7)$$

$$26y^2(5y+7) = 2 \times 13 \times y \times y \times (5y+7)$$

$$39y^3(50y^2 - 98) \div 26y^2(5y+7)$$

$$= \frac{39y^3 \times 2(25y^2 - 49)}{26y^2(5y+7)}$$

$$= \frac{3y(5y+7)(5y-7)}{(5y+7)}$$

$$= 3y(5y-7)$$