





**FINAL JEE-MAIN EXAMINATION – JULY, 2021**

 (Held On Tuesday 27<sup>th</sup> July, 2021)

TIME : 9 : 00 AM to 12 : 00 NOON

**CHEMISTRY**
**TEST PAPER WITH ANSWER**
**SECTION-A**

1. Which one of the following compounds will give orange precipitate when treated with 2,4-dinitrophenyl hydrazine ?


**Official Ans. by NTA (4)**

2. The product obtained from the electrolytic oxidation of acidified sulphate solutions, is :

- (1)  $\text{HSO}_4^-$   
 (2)  $\text{HO}_3\text{SOOSO}_3\text{H}$   
 (3)  $\text{HO}_2\text{SOSO}_2\text{H}$   
 (4)  $\text{HO}_3\text{SOSO}_3\text{H}$

**Official Ans. by NTA (2)**

3. The parameters of the unit cell of a substance are  $a = 2.5$ ,  $b = 3.0$ ,  $c = 4.0$ ,  $\alpha = 90^\circ$ ,  $\beta = 120^\circ$ ,  $\gamma = 90^\circ$ . The crystal system of the substance is :

- (1) Hexagonal (2) Orthorhombic  
 (3) Monoclinic (4) Triclinic

**Official Ans. by NTA (3)**

4. The oxidation states of 'P' in  $\text{H}_4\text{P}_2\text{O}_7$ ,  $\text{H}_4\text{P}_2\text{O}_5$  and  $\text{H}_4\text{P}_2\text{O}_6$ , respectively, are :

- (1) 7, 5 and 6 (2) 5, 4 and 3  
 (3) 5, 3 and 4 (4) 6, 4 and 5

**Official Ans. by NTA (3)**

5. For a reaction of order n, the unit of the rate constant is :

- (1)  $\text{mol}^{1-n} \text{L}^{1-n} \text{s}$  (2)  $\text{mol}^{1-n} \text{L}^{2n} \text{s}^{-1}$   
 (3)  $\text{mol}^{1-n} \text{L}^{n-1} \text{s}^{-1}$  (4)  $\text{mol}^{1-n} \text{L}^{1-n} \text{s}^{-1}$

**Official Ans. by NTA (3)**

6. Given below are two statements :

**Statement I :** Aniline is less basic than acetamide.

**Statement II :** In aniline, the lone pair of electrons on nitrogen atom is delocalised over benzene ring due to resonance and hence less available to a proton.

 Choose the **most appropriate** option ;

- (1) Statement I is true but statement II is false.  
 (2) Statement I is false but statement II is true.  
 (3) Both statement I and statement II are true.  
 (4) Both statement I and statement II are false.

**Official Ans. by NTA (2)**

7. The type of hybridisation and magnetic property of the complex  $[\text{MnCl}_6]^{3-}$ , respectively, are :

- (1)  $\text{sp}^3\text{d}^2$  and diamagnetic  
 (2)  $\text{d}^2\text{sp}^3$  and diamagnetic  
 (3)  $\text{d}^2\text{sp}^3$  and paramagnetic  
 (4)  $\text{sp}^3\text{d}^2$  and paramagnetic

**Official Ans. by NTA (4)**

8. The number of geometrical isomers found in the metal complexes  $[\text{PtCl}_2(\text{NH}_3)_2]$ ,  $[\text{Ni}(\text{CO})_4]$ ,  $[\text{Ru}(\text{H}_2\text{O})_3\text{Cl}_3]$  and  $[\text{CoCl}_2(\text{NH}_3)_4]^+$  respectively, are :

- (1) 1, 1, 1, 1 (2) 2, 1, 2, 2  
 (3) 2, 0, 2, 2 (4) 2, 1, 2, 1

**Official Ans. by NTA (2)**
**ALLEN Ans. (3)**

9. Which one of the following statements is NOT correct ?

- (1) Eutrophication indicates that water body is polluted ?
- (2) The dissolved oxygen concentration below 6 ppm inhibits fish growth
- (3) Eutrophication leads to increase in the oxygen level in water
- (4) Eutrophication leads to anaerobic conditions

Official Ans. by NTA (3)

10. Given below are two statements :

**Statement I :** Rutherford's gold foil experiment cannot explain the line spectrum of hydrogen atom.


**Statement II :** Bohr's model of hydrogen atom contradicts Heisenberg's uncertainty principle.

In the light of the above statements, choose the **most appropriate** answer from the options given below :

- (1) **Statement I** is false but **statement II** is true.
- (2) **Statement I** is true but **statement II** is false.
- (3) Both **statement I** and **statement II** are false.
- (4) Both **statement I** and **statement II** are true.

Official Ans. by NTA (4)

11. Presence of which reagent will affect the reversibility of the following reaction, and change it to a irreversible reaction :



- (1) HOCl
- (2) dilute HNO<sub>2</sub>
- (3) Liquid NH<sub>3</sub>
- (4) Concentrated HIO<sub>3</sub>

Official Ans. by NTA (4)

12. Which one among the following chemical tests is used to distinguish monosaccharide from disaccharide ?

- (1) Seliwanoff's test
- (2) Iodine test
- (3) Barfoed test
- (4) Tollen's test

Official Ans. by NTA (3)

13. Match List-I with List-II :

List-I (Drug)	List-II (Class of Drug)
(a) Furacin	(i) Antibiotic
(b) Arsphenamine	(ii) Tranquilizers
(c) Dimetone	(iii) Antiseptic
(d) Valium	(iv) Synthetic antihistamines

Choose the **most appropriate** match :


- (1) (a)-(i), (b)-(iii), (c)-(iv), (d)-(ii)
- (2) (a)-(iii), (b)-(iv), (c)-(ii), (d)-(i)
- (3) (a)-(ii), (b)-(i), (c)-(iii), (d)-(iv)
- (4) (a)-(iii), (b)-(i), (c)-(iv), (d)-(ii)

Official Ans. by NTA (4)


14. The statement that is INCORRECT about Ellingham diagram is

- (1) provides idea about the reaction rate.
- (2) provides idea about free energy change.
- (3) provides idea about changes in the phases during the reaction.
- (4) provides idea about reduction of metal oxide.


Official Ans. by NTA (1)



Consider the above reaction and identify the Product P :



Official Ans. by NTA (4)



The compound 'A' is a complementary base of \_\_\_\_\_ in DNA stands.

- (1) Uracil                                      (2) Guanine  
(3) Adenine                                    (4) Cytosine

**Official Ans. by NTA (3)**

17. Staggered and eclipsed conformers of ethane are :

- (1) Polymers                                    (2) Rotamers  
(3) Enantiomers                              (4) Mirror images

**Official Ans. by NTA (2)**


18. Match List - I with List - II :

- | List - I                | List - II        |
|-------------------------|------------------|
| (a) NaOH                | (i) Acidic       |
| (b) Be(OH) <sub>2</sub> | (ii) Basic       |
| (c) Ca(OH) <sub>2</sub> | (iii) Amphoteric |
| (d) B(OH) <sub>3</sub>  |                  |
| (e) Al(OH) <sub>3</sub> |                  |

Choose the **most appropriate** answer from the options given below

- (1) (a)-(ii), (b)-(ii), (c)-(iii), (d)-(ii), (e)-(iii)  
(2) (a)-(ii), (b)-(iii), (c)-(ii), (d)-(i), (e)-(iii)  
(3) (a)-(ii), (b)-(ii), (c)-(iii), (d)-(i), (e)-(iii)  
(4) (a)-(ii), (b)-(i), (c)-(ii), (d)-(iii), (e)-(iii)

**Official Ans. by NTA (2)**



The correct order of stability of given carbocation is :

- (1) A > C > B > D                              (2) D > B > C > A  
(3) D > B > A > C                              (4) C > A > D > B

**Official Ans. by NTA (1)**

20. Given below are two statements : One is labelled as **Assertion A** and the other labelled as **Reason R**.

**Assertion A** : Lithium halides are some what covalent in nature.

**Reason R** : Lithium possess high polarisation capability.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) **A** is true but **R** is false  
(2) **A** is false but **R** is true  
(3) Both **A** and **R** are true but **R** is NOT the correct explanation of **A**  
(4) Both **A** and **R** are true and **R** is the correct explanation of **A**

**Official Ans. by NTA (4)**

**SECTION-B**

1. The density of NaOH solution is 1.2 g cm<sup>-3</sup>. The molality of this solution is \_\_\_\_\_ m.

(Round off to the Nearest Integer)

[Use : Atomic masses : Na : 23.0 u    O : 16.0 u  
H : 1.0 u

Density of H<sub>2</sub>O : 1.0 g cm<sup>-3</sup>]

**Official Ans. by NTA (5)**

2. CO<sub>2</sub> gas adsorbs on charcoal following Freundlich adsorption isotherm. For a given amount of charcoal, the mass of CO<sub>2</sub> adsorbed becomes 64 times when the pressure of CO<sub>2</sub> is doubled.

The value of n in the Freundlich isotherm equation is \_\_\_\_\_ × 10<sup>-2</sup>. (Round off to the Nearest Integer)

**Official Ans. by NTA (17)**

3. The conductivity of a weak acid HA of concentration 0.001 mol L<sup>-1</sup> is 2.0 × 10<sup>-5</sup> S cm<sup>-1</sup>. If Λ<sub>m</sub><sup>o</sup>(HA) = 190 S cm<sup>2</sup> mol<sup>-1</sup>, the ionization constant (K<sub>a</sub>) of HA is equal to \_\_\_\_\_ × 10<sup>-6</sup>.

(Round off to the Nearest Integer)

**Official Ans. by NTA (12)**

4. 1.46 g of a biopolymer dissolved in a 100 mL water at 300 K exerted an osmotic pressure of  $2.42 \times 10^{-3}$  bar.

The molar mass of the biopolymer is \_\_\_\_\_  $\times 10^4$  g mol<sup>-1</sup>. (Round off to the Nearest Integer)

[Use : R = 0.083 L bar mol<sup>-1</sup> K<sup>-1</sup>]

**Official Ans. by NTA (15)**

5. An organic compound is subjected to chlorination to get compound A using 5.0 g of chlorine. When 0.5 g of compound A is reacted with AgNO<sub>3</sub> [Carius Method], the percentage of chlorine in compound A is \_\_\_\_\_ when it forms 0.3849 g of AgCl. (Round off to the Nearest Integer)

(Atomic masses of Ag and Cl are 107.87 and 35.5 respectively)

**Official Ans. by NTA (19)**

6. The number of geometrical isomers possible in triamminetrinitrocobalt (III) is X and in trioxalatochromate (III) is Y. Then the value of X + Y is \_\_\_\_\_.

**Official Ans. by NTA (2)**

7. In gaseous triethyl amine the "-C-N-C-" bond angle is \_\_\_\_\_ degree.

**Official Ans. by NTA (108)**

8. For water at 100°C and 1 bar,

$$\Delta_{\text{vap}} H - \Delta_{\text{vap}} U = \text{_____} \times 10^2 \text{ J mol}^{-1}.$$

(Round off to the Nearest Integer)

[Use : R=8.31 J mol<sup>-1</sup> K<sup>-1</sup>]

[Assume volume of H<sub>2</sub>O(l) is much smaller than volume of H<sub>2</sub>O(g). Assume H<sub>2</sub>O(g) treated as an ideal gas]

**Official Ans. by NTA (31)**

9.  $\text{PCl}_5 \rightleftharpoons \text{PCl}_3 + \text{Cl}_2$   $K_c = 1.844$

3.0 moles of PCl<sub>5</sub> is introduced in a 1 L closed reaction vessel at 380 K. The number of moles of PCl<sub>5</sub> at equilibrium is \_\_\_\_\_  $\times 10^{-3}$ .

(Round off to the Nearest Integer)

**Official Ans. by NTA (1400)**

**ALLEN Ans. (1396)**

10. The difference between bond orders of CO and NO<sup>⊕</sup> is  $\frac{x}{2}$  where x = \_\_\_\_\_.

(Round off to the Nearest Integer)

**Official Ans. by NTA (0)**