



FINAL JEE-MAIN EXAMINATION - SEPTEMBER, 2020

Held On Sunday, 6 September 2020 TIME: 9: 00 AM to 12: 00 PM

- 1. The set that contains atomic number of only transition element is -
 - (1) 21, 32, 53, 64

∜Saral

- (2) 21, 25, 42, 72
- (3) 9, 17, 34, 38
- (4) 37, 42, 50, 64

Official Ans. by NTA (2)

- 2. The lanthanoid that does NOT show +4 oxidation state is
 - (1) Dy
 - (2) Eu
 - (3) Ce
 - (4) Tb

Official Ans. by NTA (2)

- 3. The INCORRECT statement is:
 - (1) bronze is an alloy of copper and tin.(2) brass is an alloy of copper and nickel
 - (3) cast iron is used to manufacture wrought iron
 - (4) german silver is an alloy of zinc, copper and nickel

Official Ans. by NTA (2)

- **4.** The correct statement with respect to dinitrogen is:
 - (1) liquid dinitrogen is not used in cryosurgery.
 - (2) it can be used as an inert diluent for reactive chemicals.
 - (3) it can combine with dioxygen at 25°C
 - (4) N_2 is paramagnetic in nature.

Official Ans. by NTA (2)

A solution of two components containing n₁ moles of the 1st component and n₂ moles of the 2nd component is prepared. M₁ and M₂ are the molecular weights of component 1 and 2 respectively. If d is the density of the solution in g mL⁻¹, C₂ is the molarity and x₂ is the mole fraction of the 2nd component, then C₂ can be expressed as:

(1)
$$C_2 = \frac{1000x_2}{M_1 + x_2(M_2 - M_1)}$$

(2)
$$C_2 = \frac{dx_2}{M_2 + x_2(M_2 - M_1)}$$

(3)
$$C_2 = \frac{dx_1}{M_2 + x_2(M_2 - M_1)}$$

(4)
$$C_2 = \frac{1000 dx_2}{M_1 + x_2 (M_2 - M_1)}$$

Official Ans. by NTA (4)

6. The major products of the following reaction are:

$$\begin{array}{c} \text{CH}_{3} \\ \text{CH}_{3}\text{-CH-CH-CH}_{3} \\ \text{OSO}_{2}\text{CH}_{3} \end{array} \xrightarrow{\begin{array}{c} \text{(i) KO}^{t}\text{Bu/}\Delta \\ \text{(ii) O}_{3}/\text{H}_{2}\text{O}_{2} \end{array}} \longrightarrow$$

$$(1)$$
 H_3C $COOH$ + HCOOH

(2)
$$H_3C$$
 CHO + HCHO

$$(3) \begin{array}{c} CH_3 \\ + CH_3CHO \end{array}$$

$$(4) \begin{array}{c} CH_3 \\ H_3C \end{array} + CH_3COOH$$

Official Ans. by NTA (1)





7. Kraft temperature is the temperature

∜Saral

- (1) below which the formation of micelles takes place.
- (2) below which the aqueous solution of detergents starts freezing.
- (3) above which the formation of micelles takes place.
- (4) above which the aqueous solution of detergents starts boiling.

Official Ans. by NTA (3)

8. Consider the Assertion and Reason given below.

Assertion (A): Ethene polymerized in the presence of Ziegler Natta Catalyst at high temperature and pressure is used to make buckets and dustbins.

Reason (R): High density polymers are closely packed and are chemically inert. Choose the correct answer from the following:

- (1) (A) is correct but (R) is wrong.
- (2) (A) and (R) both are wrong.
- (3) Both (A) and (R) are correct and (R) is the correct explanation of (A).
- (4) Both (A) and (R) are correct but (R) is not the correct explanation of (A).

Official Ans. by NTA (3)

- 9. The species that has a spin only magnetic moment of 5.9 BM, is -
 - (1) $Ni(CO)_4(T_d)$
 - (2) $[MnBr_4]^{2-}(T_d)$
 - (3) $[NiCl_4]^2 (T_d)$
 - (4) $[Ni(CN)_4]^{2-}$ (square planar)

Official Ans. by NTA (2)

10. The major product obtained from the following reaction is -

$$O_2N$$
 O_2N
 O_2N

Official Ans. by NTA (3)

11. For the reaction:

$$Fe_2N(s) + \frac{3}{2}H_2(g) \Longrightarrow 2Fe(s) + NH_3(g)$$

- $(1) K_C = K_P(RT)$
- (2) $K_C = K_P(RT)^{-1/2}$
- (3) $K_C = K_P(RT)^{-3/2}$
- (4) $K_C = K_P(RT)^{1/2}$

Official Ans. by NTA (4)

- **12.** Arrange the following solutions is the decreasing order of pOH:
 - (A) 0.01 M HC1
 - (B) 0.01 M NaOH
 - (C) 0.01 M CH₃COONa
 - (D) 0.01 M NaCl
 - (1) (B) > (C) > (D) > (A)
 - (2) (A) > (C) > (D) > (B)
 - (3) (B) > (D) > (C) > (A)
 - (4) (A) > (D) > (Q > (B)

Official Ans. by NTA (4)





- **13.** The presence of soluble fluoride ion upto 1 ppm concentration in drinking water, is:
 - (1) harmful to bones
 - (2) harmful for teeth
 - (3) safe for teeth
 - (4) harmful to skin

Official Ans. by NTA (3)

14. Consider the following reactions:

∜Saral


$$(C_{7}H_{14}) \xrightarrow{\hspace{1cm}} (B' + C')$$

$$(B' \xrightarrow{\hspace{1cm}} (I_{2} + NaOH) \xrightarrow{\hspace{1cm}} yellow ppt$$

$$Ag_{2}O \xrightarrow{\hspace{1cm}} silver mirror$$

$$C' \xrightarrow{\hspace{1cm}} (I_{2} + NaOH) \xrightarrow{\hspace{1cm}} no yellow ppt$$

$$LiAlH_{4} \xrightarrow{\hspace{1cm}} 'D' \xrightarrow{\hspace{1cm}} Anhydrous ZnCl_{2} \xrightarrow{\hspace{1cm}} gives white turbidity within 5 minutes$$



Official Ans. by NTA (2)

15. The increasing order of pK_b values of the following compounds is -

(2) II < IV < III < I

- (3) II < I < III < IV
- (4) I < II < III < IV

Official Ans. by NTA (1)

- 16. Among the sulphates of alkaline earth metals, the solubilities of BeSO₄ and MgSO₄ in water, respectively, are:
 - (1) high and high
- (2) poor and poor
- (3) high and poor
- (4) poor and high

Official Ans. by NTA (1)

17. The major product of the following reaction is

$$CH_3$$
 Br
 CH_3
 Br
 CH_3
 Br
 CH_3
 Br
 CH_3
 C

Official Ans. by NTA (2)

Temperature

18. The variation of equilibrium constant with temperature is given below:

$K_1 = 100$
$K_2 = 100$
at T_1 and ΔG^o at T_2 (in
re close to
-1]
29
1
29
1
(3)

Equilibrium constant






19. Consider the following reactions:

∜Saral

$$A \rightarrow P1 ; B \rightarrow P2 ; C \rightarrow P3 ; D \rightarrow P4$$

The order of the above reactions are a, b, c, and d, respectively. The following graph is obtained when log [rate] vs. log[conc] are plotted:



Among the following, the correct sequence for the order of the reactions is:

- (1) a > b > c > d
- (2) c > a > b > d
- (3) d > b > a > c
- (4) d > a > b > c

Official Ans. by NTA (3)

- **20.** Which of the following compound shows geometrical isomerism
 - (1) 2-methylpent-2-ene
 - (2) 4-methylpent-l-ene
 - (3) 4-methylpent-2-ene
 - (4) 2-methylpent-l-ene

Official Ans. by NTA (3)

21. In an estimation of bromine by Carius method, 1.6 g of an organic compound gave 1.88 g of AgBr. The mass percentage of bromine in the compound is _____

(Atomic mass, Ag=108, $Br = 80 \text{ g mol}^{-1}$)

Official Ans. by NTA (50.00)

22. The elevation of boiling point of 0.10 m aqueous CrCl₃.xNH₃ solution is two times that of 0.05m aqueous CaCl₂ solution. The value of x is _____.
[Assume 100% ionisation of the complex and CaCl₂, coordination number of Cr as 6, and that all NH₃ molecules are present inside the coordination sphere]

Official Ans. by NTA (5.00)

23. A spherical balloon of radius 3 cm containing helium gas has a pressure of 48×10^{-3} bar. At the same temperature, the pressure, of a spherical balloon of radius 12 cm containing the same amount of gas will be $\times 10^{-6}$ bar.

Official Ans. by NTA (750.00)

24. The number of CI = O bonds in perchloric acid is, "

Official Ans. by NTA (3.00)

25. Potassium chlorate is prepared by the electrolysis of KCl in basic solution

$$6OH^{-} + Cl^{-} \rightarrow ClO_{3}^{-} + 3H_{2}O + 6e^{-}$$

If only 60% of the current is utilized in the reaction, the time (rounded to the nearest hour) required to produce 10 g of KCIO₃ using a current of 2 A is____.

(Given: $F = 96,500 \text{ C mol}^{-1} \text{ molar mass of } KClO_3=122 \text{ gmol}^{-1}$)

Official Ans. by NTA (11.00)