



## FINAL JEE-MAIN EXAMINATION – JULY, 2021

# Held On Tuesday 27th July, 2021 TIME: 9:00 AM to 12:00 NOON

#### **SECTION-A**

1. Which one of the following compounds will give orange precipitate when treated with 2,4-dinitrophenyl hydrazine?

#### Official Ans. by NTA (4)

- 2. The product obtained from the electrolytic oxidation of acidified sulphate solutions, is:
  - (1) HSO<sub>4</sub>
  - (2) HO<sub>3</sub>SOOSO<sub>3</sub>H
  - (3) HO<sub>2</sub>SOSO<sub>2</sub>H
  - (4) HO<sub>3</sub>SOSO<sub>3</sub>H

#### Official Ans. by NTA (2)

- 3. The parameters of the unit cell of a substance are  $a = 2.5, b = 3.0, c = 4.0, \alpha = 90^{\circ}, \beta = 120^{\circ} \gamma = 90^{\circ}.$ The crystal system of the substance is:
  - (1) Hexagonal
- (2) Orthorhombic
- (3) Monoclinic
- (4) Triclinic

### Official Ans. by NTA (3)

- The oxidation states of 'P' in H<sub>4</sub>P<sub>2</sub>O<sub>7</sub>, H<sub>4</sub>P<sub>2</sub>O<sub>5</sub> and H<sub>4</sub>P<sub>2</sub>O<sub>6</sub>, respectively, are:
  - (1) 7, 5 and 6
- (2) 5, 4 and 3
- (3) 5, 3 and 4
- (4) 6, 4 and 5

## Official Ans. by NTA (3)

- 5. For a reaction of order n, the unit of the rate constant is:
  - $(1) \text{ mol}^{1-n} L^{1-n} s$
- (2)  $\text{mol}^{1-n} L^{2n} s^{-1}$
- (3)  $\text{mol}^{1-n} L^{n-1} s^{-1}$  (4)  $\text{mol}^{1-n} L^{1-n} s^{-1}$

## Official Ans. by NTA (3)

6. Given below are two statements:

**Statement I:** Aniline is less basic than acetamide.

**Statement II:** In aniline, the lone pair of electrons on nitrogen atom is delocalised over benzene ring due to resonance and hence less available to a proton.

Choose the most appropriate option;

- (1) Statement I is true but statement II is false.
- (2) Statement I is false but statement II is true.
- (3) Both statement I and statement II are true.
- (4) Both statement I and statement II are false.

#### Official Ans. by NTA (2)

- The type of hybridisation and magnetic property of 7. the complex  $[MnCl_6]^{3-}$ , respectively, are :
  - (1) sp<sup>3</sup>d<sup>2</sup> and diamagnetic
  - (2) d<sup>2</sup>sp<sup>3</sup> and diamagnetic
  - (3) d<sup>2</sup>sp<sup>3</sup> and paramagnetic
  - (4) sp<sup>3</sup>d<sup>2</sup> and paramagnetic

## Official Ans. by NTA (4)

8. The number of geometrical isomers found in the metal complexes [PtCl<sub>2</sub>(NH<sub>3</sub>)<sub>2</sub>],

> $[Ni(CO)_4]$ ,  $[Ru(H_2O)_3Cl_3]$  and  $[CoCl_2(NH_3)_4]^+$ respectively, are:

- (1) 1, 1, 1, 1
- (2) 2, 1, 2, 2
- (3) 2, 0, 2, 2
- (4) 2, 1, 2, 1

Official Ans. by NTA (2)

Ans. (3)





- **9.** Which one of the following statements is **NOT** correct?
  - (1) Eutrophication indicates that water body is polluted?
  - (2) The dissolved oxygen concentration below 6 ppm inhibits fish growth
  - (3) Eutrophication leads to increase in the oxygen level in water
  - (4) Eutrophication leads to anaerobic conditions

## Official Ans. by NTA (3)

**10.** Given below are two statements:

**Statement I :** Rutherford's gold foil experiment cannot explain the line spectrum of hydrogen atom.

**Statement II:** Bohr's model of hydrogen atom contradicts Heisenberg's uncertainty principle.

In the light of the above statements, choose the **most appropriate** answer from the options given below:

- (1) Statement I is false but statement II is true.
- (2) Statement I is true but statement II is false.
- (3) Both **statement I** and **statement II** are false.
- (4) Both **statement I** and **statement II** are true.

#### Official Ans. by NTA (4)

11. Presence of which reagent will affect the reversibility of the following reaction, and change it to a irreversible reaction:

$$CH_4 + I_2 \frac{hv}{Reversible} CH_3 - I + HI$$

- (1) HOCl
- (2) dilute HNO<sub>2</sub>
- (3) Liquid NH<sub>3</sub>
- (4) Concentrated HIO<sub>3</sub>

### Official Ans. by NTA (4)

- **12.** Which one among the following chemical tests is used to distinguish monosaccharide from disaccharide?
  - (1) Seliwanoff's test
  - (2) Iodine test
  - (3) Barfoed test
  - (4) Tollen's test

### Official Ans. by NTA (3)

#### 13. Match List-I with List-II:

List-I	List-II
(Drug)	(Class of Drug)
(a) Furacin	(i) Antibiotic
(b) Arsphenamine	(ii) Tranquilizers
(c) Dimetone	(iii) Antiseptic
(d) Valium	(iv) Synthetic antihistamines

Choose the **most appropriate** match:

$$(3) (a)-(ii), (b)-(i), (c)-(iii), (d)-(iv)$$

## Official Ans. by NTA (4)

- **14.** The statement that is INCORRECT about Ellingham diagram is
  - (1) provides idea about the reaction rate.
  - (2) provides idea about free energy change.
  - (3) provides idea about changes in the phases during the reaction.
  - (4) provides idea about reduction of metal oxide.

## Official Ans. by NTA (1)

15. 
$$\begin{array}{c|c}
\hline
 & H_3PO_4 \\
\hline
 & 120^{\circ}C
\end{array}$$

$$\begin{array}{c}
 & A \\
 & Major Product
\end{array}$$

$$\begin{array}{c}
 & P \\
 & H_2O_2/O\overline{H}, H_2O
\end{array}$$
Major Product

Consider the above reaction and identify the Product P:

Official Ans. by NTA (4)





16.

The compound 'A' is a complementary base of in DNA stands.

- (1) Uracil
- (2) Guanine
- (3) Adenine
- (4) Cytosine

## Official Ans. by NTA (3)

- 17. Staggered and eclipsed conformers of ethane are:
  - (1) Polymers
- (2) Rotamers
- (3) Enantiomers
- (4) Mirror images

## Official Ans. by NTA (2)

18. Match List - I with List - II:

## List - I

#### List - II


- (a) NaOH
- (i) Acidic
- (b) Be(OH)<sub>2</sub>
- (ii) Basic
- (c) Ca(OH)<sub>2</sub>
- (iii) Amphoteric
- (d) B(OH)<sub>3</sub>
- (e)  $Al(OH)_3$

Choose the **most appropriate** answer from the options given below

- (1) (a)-(ii), (b)-(ii), (c)-(iii), (d)-(ii), (e)-(iii)
- (2) (a)-(ii), (b)-(iii), (c)-(ii), (d)-(i), (e)-(iii)
- (3) (a)-(ii), (b)-(ii), (c)-(iii), (d)-(i), (e)-(iii)
- (4) (a)-(ii), (b)-(i), (c)-(ii), (d)-(iii), (e)-(iii)

### Official Ans. by NTA (2)

19.



The correct order of stability of given carbocation is:

- (1) A > C > B > D
- (2) D > B > C > A
- (3) D > B > A > C
- (4) C > A > D > B

### Official Ans. by NTA (1)

**20.** Given below are two statements: One is labelled as **Assertion A** and the other labelled as **Reason R**.

**Assertion A**: Lithium halides are some what covalent in nature.

**Reason R**: Lithium possess high polarisation capability.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) A is true but R is false
- (2) A is false but R is true
- (3) Both **A** and **R** are true but **R** is NOT the correct explanation of **A**
- (4) Both **A** and **R** are true and **R** is the correct explanation of **A**

### Official Ans. by NTA (4)

### **SECTION-B**

1. The density of NaOH solution is 1.2 g cm<sup>-3</sup>. The molality of this solution is m.

(Round off to the Nearest Integer)

[Use : Atomic masses : Na : 23.0 u  $\,$  O : 16.0 u  $\,$  H : 1.0 u

Density of H<sub>2</sub>O: 1.0 g cm<sup>-3</sup>]

### Official Ans. by NTA (5)

2. CO<sub>2</sub> gas adsorbs on charcoal following Freundlich adsorption isotherm. For a given amount of charcoal, the mass of CO<sub>2</sub> adsorbed becomes 64 times when the pressure of CO<sub>2</sub> is doubled.

The value of n in the Freundlich isotherm equation is  $\_$  ×  $10^{-2}$ . (Round off to the Nearest Integer)

### Official Ans. by NTA (17)

3. The conductivity of a weak acid HA of concentration 0.001 mol L<sup>-1</sup> is  $2.0 \times 10^{-5}$  S cm<sup>-1</sup>. If  $\Lambda_m^o(HA) = 190$  S cm<sup>2</sup> mol<sup>-1</sup>, the ionization constant (K<sub>a</sub>) of HA is equal to \_\_\_\_\_  $\times 10^{-6}$ . (Round off to the Nearest Integer)

### Official Ans. by NTA (12)





4. 1.46 g of a biopolymer dissolved in a 100 mL water at 300 K exerted an osmotic pressure of  $2.42 \times 10^{-3}$  bar.

The molar mass of the biopolymer is  $\_\_\_ \times 10^4$  g mol<sup>-1</sup>. (Round off to the Nearest Integer)

[Use :  $R = 0.083 L bar mol^{-1} K^{-1}$ ]

## Official Ans. by NTA (15)

5. An organic compound is subjected to chlorination to get compound A using 5.0 g of chlorine. When 0.5 g of compound A is reacted with AgNO<sub>3</sub> [Carius Method], the percentage of chlorine in compound A is \_\_\_\_\_ when it forms 0.3849 g of AgCl. (Round off to the Nearest Integer)

(Atomic masses of Ag and Cl are 107.87 and 35.5 respectively)

## Official Ans. by NTA (19)

6. The number of geometrical isomers possible in triamminetrinitrocobalt (III) is X and in trioxalatochromate (III) is Y. Then the value of X+Y is

## Official Ans. by NTA (2)

7. In gaseous triethyl amine the "-C-N-C-" bond angle is \_\_\_\_\_ degree.

Official Ans. by NTA (108)

**8.** For water at 100°C and 1 bar,

$$\Delta_{\text{vap}} H - \Delta_{\text{vap}} U = \underline{\qquad} \times 10^2 \text{ J mol}^{-1}.$$

(Round off to the Nearest Integer)

[Use : 
$$R=8.31 \text{ J mol}^{-1} \text{ K}^{-1}$$
]

[Assume volume of  $H_2O(1)$  is much smaller than volume of  $H_2O(g)$ . Assume  $H_2O(g)$  treated as an ideal gas]

## Official Ans. by NTA (31)

9.  $PC1_5 \rightleftharpoons PCl_3 + Cl_3$   $K_c = 1.844$ 

3.0 moles of PCl<sub>5</sub> is introduced in a 1 L closed reaction vessel at 380 K. The number of moles of PCl<sub>5</sub> at equilibrium is  $\times 10^{-3}$ .

(Round off to the Nearest Integer)

## Official Ans. by NTA (1400)

Ans. (1396)

10. The difference between bond orders of CO and

$$NO^{\oplus}$$
 is  $\frac{x}{2}$  where  $x = \underline{\phantom{a}}$ 

(Round off to the Nearest Integer)

Official Ans. by NTA (0)